

## 215 PHYSICAL DESCRIPTION

This field contains information on the physical characteristics of the item. This field corresponds to the ISBD Physical Description Area. When a component part is being catalogued, the field 215 contains physical description of a component part and also information on the location in the host item.

### Subfields & repeatability

FIELD/SUBFIELD		REPEATABILITY
215	Physical description	r
<b>a</b>	<i>Specific material designation</i>	nr
<b>c</b>	<i>Other physical details</i>	nr
<b>d</b>	<i>Dimensions</i>	nr
<b>e</b>	<i>Accompanying material</i>	r
<b>f</b>	<i>Supplement**</i>	nr
<b>g</b>	<i>Numbering – third level*</i>	nr
<b>i</b>	<i>Numbering – second level*</i>	nr
<b>h</b>	<i>Numbering – first level*</i>	nr
<b>k</b>	<i>Chronology*</i>	nr
<b>o</b>	<i>Alternative pagination*</i>	nr
<b>p</b>	<i>Alternative numbering – third level*</i>	nr
<b>q</b>	<i>Alternative numbering – second level*</i>	nr
<b>r</b>	<i>Alternative numbering – first level*</i>	nr
<b>s</b>	<i>Alternative chronology*</i>	nr

### Indicators

Indicator values are not defined.

## SUBFIELDS

---

### 215a Specific material designation

The name of the specific type of material to which the item belongs and/or indication of the number of pieces or constituent parts (see examples 16, 22–32). For monographs being completed in one part only the number of pages is entered (see examples 1, 2, 5, 17, 33).

For the component parts the range of pages is entered: first and last page (see examples 36–39) or a specific material designation (see example 48).

---

### 215c Other physical details

Physical data about an item other than that contained elsewhere in this field, e.g. details of illustrative matter, whether an item has colour or sound, etc. (see examples 11, 17, 28, 29, 31, 43).

---

### 215d Dimensions

The lineare measurements of an item (see examples 16, 19, 22, 30) and/or dimensions relevant to the use of the item (see example 8). For older printed books the bibliographic format is entered (see example 15).

---

### 215e Accompanying material

A brief description of any material accompanying the item being described, which is intended to be used with the item (see examples 1, 4, 17, 22, 25, 26, 32, 33). Repeatable for different types of accompanying material (see example 18).

This field contains data on less significant and extensive accompanying material. More extensive accompanying material, that requires a detailed bibliographic description, is entered in field *421 – Supplement*.

---

### 215f Supplement\*\*

A subfield was being used till 1991 for component parts' supplements.

---

### 215g Numbering – third level\*

The third level of component parts' numbering when more than two levels of numbering exist (see example 52).

---

### 215i Numbering – second level\*

The second level of component parts' numbering, usually a volume number (see examples 36, 38).

---

### 215h Numbering – first level\*

The first level of component parts' numbering, usually an issue (see examples 36, 37, 38, 40, 44, 45, 48, 49, 50).

---

**215k Chronology\***

Publication year or date for component parts (see examples 36, 37, 38, 42, 45, 49, 50).

---

**215o Alternative pagination\***

A range of pages for component parts: the first and the last page (see example 38).

Subfields 215opqrs are entered only when a component part was issued in the serial which is a subseries or "bound with" supplement of the other serial (a subfield 011s is entered).

---

**215p Alternative numbering – third level\***

The third level of component parts' numbering when more than two levels exist.

---

**215q Alternative numbering – second level\***

The second level of component parts' numbering, usually a volume number (see examples 39, 41).

---

**215r Alternative numbering – first level\***

The first level of component parts' numbering, usually an issue (see examples 38, 39, 41).

---

**215s Alternative chronology\***

Publication year or date for component parts (see examples 38, 39, 41).

---

**NOTES ON FIELD CONTENTS**

The data about physical attributes of the item are entered in subfield 215acde (see examples 1–34). Repeatable when for a multimedia kit a separate physical description for every component is made (see examples 14, 32). According to ISBD principles, repeated subfields 215 are displayed one under another and inserted to the right for a character.

Punctuation at subfield boundaries should not be entered in the field; however, within a subfield, any separating punctuation is entered (see examples 4, 16, 22, 26, 27). For further information on the data content of this field, refer to the relevant ISBD. The correspondence between this subfield and ISBD specifications is illustrated below.

SUBFIELD	ELEMENT NAME	ISBD(G) SECTION	PRECEDING PUNCTUATION
<b>a</b>	Specific material designation	5.1	New area
<b>c</b>	Other physical details	5.2	:
<b>d</b>	Dimensions	5.3	;
<b>e</b>	Accompanying material	5.4	+

In case of multi-volume items being issued more than a year (subfield 100b contains code "g"), angle brackets "<>" in subfield 215a indicate that the data is temporary (see examples 20, 21). After the first volume/part is being published, it is enclosed in angle brackets followed by hyphen. Where more volumes/parts are present, the first and temporary last volume/part is entered in angle bracket. There is a hyphen between these two data. Temporary data are being changed after every new volume/part has been issued. After the last volume/part has been published, the brackets are being deleted and the number of volume/parts is entered.

### Physical description and location of the component part in the host item

While cataloguing component parts there are, besides physical description, also data about location of the component part in the host item entered in field 215 (see examples 36–51).

Data entry is mandatory in subfield 215a where the range of pages or special material designation is entered (see example 48). Field is repeatable for component parts that are going to be issued in two or three parts i.e. continuations (see examples 40, 41). For component parts being issued in more than three continuations subfield 215a is not entered (see example 42).

Location data entry (subfields 215agihkopqrs) depends on the type of the host item:

1. For a component part in a monograph (book and non-book material), being published in one volume/part, only subfield 215a is entered (see examples 43, 51).
2. For a component part in a multi-volume monograph (book and non-book material) subfields 215agih are entered (see examples 44, 45, 48). When the host item is being issued for more than a year, it is also subfield 215k entered containing the publication date of the volume/part (see example 45).
3. For a component part in a serial subfields 215agihk are entered (see examples 36, 37, 40, 42, 46, 49, 50).
4. For a component part in a serial being subseries or "bound with" supplement of some other serials, there are, besides subfields 215agihk, also subfields for alternative pagination, numbering, and chronology 215opqrs entered (see examples 38, 39, 41). The data in subfields 215agihk must correspond to the data stated on the publication which ISSN is entered in subfield 011a. Alternative data in subfields 215opqrs must correspond to the data stated on the publication which ISSN is entered in subfield 011s.

According to ISBD principles, the location of a component part (subfields 215agihkopqrs) is displayed on the host identification, and the other physical details and dimensions (subfields 215cd) are displayed in the main body of the component part (see examples 36, 40, 43).

The group of the alternative data is marked by the equal sign that is generated automatically on output on the beginning of the group of alternative data. Title and ISSN are included in the group (see examples 38, 39, 41).

Further instructions are provided in the publication Guidelines for the application of the ISBDs to the description of Component Parts and in corresponding ISBDs.

SUBFIELD	ELEMENT NAME	PRECEDING PUNCTUATION
<b>a</b>	Specific material designation	New area or ,
<b>g</b>	Numbering – third level	New area
<b>i</b>	Numbering – second level	New area or ,

<b>h</b>	Numbering – first level	New area or ,
<b>k</b>	Chronology	(
<b>o</b>	Alternative pagination	,
<b>p</b>	Alternative numbering – third level	New area
<b>q</b>	Alternative numbering – second level	New area or ,
<b>r</b>	Alternative numbering – first level	New area or ,
<b>s</b>	Alternative chronology	(

Numbering designations are given between two signs NSB/NSE "≠". So they have no filing value in sorting and searching (see examples 36, 38, 44, 47, 49, 50).

### Linkage of the host item with a component part

A component part is linked to the serial with subfield 011a (see examples 36, 37, 40, 46, 47, 49, 50).

A component part is linked to the subseries or "bound with" supplement with subfields 011a and 011s (see examples 38, 39, 41).

A component part is linked to the monographic publication (book and non-book material) with subfield 4641 containing the identification number of the record for the host item (see examples 43, 44, 45, 46, 48, 51).

## RELATED FIELDS

### **011a** *ISSN, ISSN – article\**

In a record for a component part subfield contains ISSN of the host item.

### **011s** *ISSN, ISSN – article in series with subseries or in supplement\**

In a record for a component part subfield contains ISSN of a series or "bound with" supplement.

### **4641** *HOST ITEM (MONOGRAPH), Linking data*

In a record for a component part subfield contains ID of a record for the host item.

### **105a** *TEXTUAL MATERIAL, MONOGRAPHIC, Illustration codes*

Coded data relating to the types of illustrations in subfield 105a must correspond to the statement entered in subfield 215c (see examples 16, 17, 20, 32, 33).

### **106** *TEXTUAL MATERIAL – PHYSICAL ATTRIBUTES*

(see example 24)

### **115** *VISUAL PROJECTIONS, VIDEORECORDINGS AND MOTION PICTURES*

(see examples 27, 28, 32)

### **116** *GRAPHICS*

(see examples 30, 32)

### **117** *THREE-DIMENSIONAL ARTEFACTS AND REALIA*

(see example 31)

### **120** *CARTOGRAPHIC MATERIALS – GENERAL*

(see examples 22, 23, 32)

### **121** *CARTOGRAPHIC MATERIALS – PHYSICAL ATTRIBUTES*

(see examples 22, 23, 32)

- 124** *CARTOGRAPHIC MATERIALS – SPECIFIC MATERIAL DESIGNSTION*  
(see examples 22, 23, 32)
- 125** *SOUND RECORDINGS AND PRINTED MUSIC*  
(see example 25)
- 126** *SOUND RECORDINGS – PHYSICAL ATTRIBUTES*  
(see examples 29, 32, 48)
- 130** *MICROFORMS – PHYSICAL ATTRIBUTES*  
(see example 24)
- 135** *ELECTRONIC RESOURCES*  
(see examples 26, 34, 47)
- 140** *ANTIQUARIAN – GENERAL*

## EXAMPLES

1.

215 □□ **a**264 p., 24 leaves of plates **c**ill., 17 facs. **d**21 cm **e**lmap  
(*A publication with illustrations and facsimiles; it has 264 pages and 24 leaves of supplements accompanied by a map. The item is measured along the back of a book.*)

2.

215 □□ **a**x, 32, 73 p., [1] leaf of plates **c**maps **d**21 cm  
(*A publication contains maps; it has three different paginations and one unnumbered leave of a supplement.*)

3.

215 □□ **a**1 folder (6 p.) **c**maps, plans, charts, portraits **d**21 x 30 cm  
(*A folder containing maps, charts and portraits. When the dimensions of the publication are unusual (e.g. when the width is greater than the height), other dimensions may be given after the height.*)

4.

215 □□ **a**3 vol. (49, 37, 18 p.) **c**ill., col. maps **d**22 cm **e**sound disk (16 min) : 33 1/3 rpm., mono., 17.5 cm  
(*A publication is issued in three volumes. The pagination of separate volumes is given in addition to the number of units, enclosed in round brackets. Volumes contain illustrations and maps in colour. Publications are accompanied by a gramophone record catalogued according to ISBD(NBM).*)

5.

215 □□ **a**35 S. **c**16 graph. Darst. **d**24 cm  
(*A record with charts in German.*)

6.

215 □□ **a**1 map **c**both sides, col. **d**41 x 84 cm, folded to 22 x 10 cm  
(*A coloured map printed on both sides of sheet. Dimensions of the folded map are quoted after dimensions of the spreaded map.*)

7.

215 □□ **a1** globe ccol., mounted on metal stand **d31** cm in diam.  
*(A coloured globe, 31 cm in diameter, fixed to the metal stand.)*

8.

215 □□ **a1** film reel (20 min., 570 m) cnitrate, b&w, si. **d16** mm  
*(The item is a silent black and white 16 mm. 20 minute film reel on nitrate base. It is 570 metres long.)*

9.

215 □□ **a1** videocassette (U-matic) (30 min.) ccol., sd.  
*(The item is a colour videocassette in U-matic format, with sound, lasting 30 minutes.)*

10.

215 □□ **a1** sound reel (100 min.) c19 cm/s., 4 track, adjacent  
*(The item is a four-track sound reel with a playing time of 100 minutes at a speed of 19cm/second. The track configuration is given.)*

11.

215 □□ **a1** sound reel (50 min.) c38 cm/s., 2 track, stereo, Dolby processed  
*(The item is a two-track stereo sound reel with a playing time of 50 minutes at a speed of 38 cm/second. A Dolby noise reduction system has been used.)*

12.

215 □□ **a1** sound disc c33 1/3 rpm, coarse  
*(The item is a sound disc with a playing speed of 33 1/3 rpm. The groove width is coarse.)*

13.

215 □□ **a1** sound disc c78 rpm, vertical  
*(The item is sound disc with playing speed of 78 rpm. The groove direction is vertical.)*

14.

215 □□ **a3** filmstrips (96 fr.) ccol. **d35** mm  
 215 □□ **a1** map ccol. **d25** x 25 cm folding to 10 x 18 cm  
 215 □□ **a13** rocks and minerals **d**in container, 14 x 9 x 2 cm  
 215 □□ **a1** wallchart ccol. **d48** x 90 cm folding to 24 x 15 cm  
*(The item contains 3 filmstrips, a map, 13 rocks and minerals in a container, and a wall chart. When the item contains parts on different media, the field 215 is repeated for complete description of each part. Every part is described according to ISBD principles.)*

15.

215 □□ **a340** p., 4 leaves of plates cill. **d4°** (19 cm)  
*(The item is an illustrated book from the hand-press era. The bibliographic format is stated and the dimension in centimetre enclosed in round brackets.)*

16. \*

105 □□ **aa**  
 215 □□ **a2** zv. (72 str., [1] f. pril.; 72 str.) cilustr. **d30** cm

*(A publication in two volumes; the first volume has the unnumbered leave of a supplement. Both volumes are illustrated; statement in subfield 215c must correspond to the coded data entered in subfield 105a. The item is measured along the back of a book.)*

17. \*

105   uu   **aa**  
 215   uu   **aXXXIII**, 812 str. **c**ilustr., graf. prikazi **d**27 cm **e**1 f. errata  
*(Pages are numbered by Roman and Arabic numerals. The publication contains illustrations and charts; statement in subfield 215c must correspond to the coded data entered in subfield 105a. The publication is accompanied by the numbered leaf of errata.)*

18. \*

215   uu   **a**1 zv. (loč. pag.) **c**ilustr. **d**17 cm **e**sestavljanka **e**škatla (19 x 28 cm)  
*(When publication contains more than three different types of page numbering, the designation "razl. pag." ["diff. pag."] are entered or its equivalent in non-Latin script. Accompanying material is entered in repeated subfields e.)*

19. \*

215   uu   **a**1 zgbanka ([6] str.) **c**barvne ilustr. **d**21 x 23 cm  
*(A leaflet with illustrations in colour. Pages are not numbered, so that is why they are enclosed in square brackets. When the dimensions of the publication are unusual (e.g. when the width is greater than the height), other dimensions may be given after the height.)*

20.

105   uu   **ay**  
 210   uu   **a**Ljubljana **c**Slovenska akademija znanosti in umetnosti **d**1971-<1997>  
 215   uu   **a**Zv. <1-2> **d**24 cm  
*(A publication is being issued for more than a year and it is not completed yet. A temporary number of volumes/parts are enclosed in angle brackets. After the last volume/part has been received, the brackets are being deleted and the number of volume/parts is entered. If the item is not illustrated, the code "y" is entered in subfield 105a.)*

21. \*

210   uu   **a**Ljubljana **c**Družina **d**2001-  
 215   uu   **a**Zv. <1-> **c**ilustr. **d**24 cm  
*(Only the first volume/part of the publication has been published, which is to be issued for more than a year. The temporary information – first volume/part followed by a hyphen – is entered in subfield 215a, enclosed in angle brackets.)*

22. \*

120   uu   **ab bb cy db dg**  
 121   uu   **aa caa db ga**  
 124   uu   **bd**  
 215   uu   **a**1 zvd. **c**barve **d**68 x 78 cm, zložen na 13 x 23 cm **e**seznam imen (48 str. ; 20 cm)  
*(A coloured map. Dimensions of the folded map are quoted after dimensions of the spreaded map. The map is accompanied by a brochure containing a name index. Subsequent elements on accompanying material description are enclosed in round brackets. Statement in field 215 must correspond to the coded data entered in fields 120, 121 and 124.)*

23. \*

120	uu	<b>ab ba ca</b>
121	uu	<b>aa caa db gc</b>
124	uu	<b>ac ba</b>
215	uu	<b>a1 atlas (144 str.) cbarv. zvd. d34 cm</b> <i>(Atlas is catalogued as a monograph in field 215.)</i>

24. \*

106	uu	<b>ag</b>
130	uu	<b>ae ba dc fa ga hc</b>
215	uu	<b>a32 mikrofšev csrebrov halid, 35x d11 x 15 cm</b> <i>(Monochrome microfiches with high reduction ratio of 1:35, on the silver halide safety base. The statement in field 215 must correspond to the coded data entered in fields 106 and 130.)</i>

25. \*

125	uu	<b>aa ba</b>
215	uu	<b>a1 partitura (24 str.) cnote d31 cm e3 parti (22, 22, 20 str.)</b> <i>(The item is a music score accompanied by three parts. The statement in field 215 must correspond to the coded data entered in field 125.)</i>

26. \*

135	uu	<b>av bh</b>
215	uu	<b>a1 optični disk (CD-ROM) cbarve, zvok d12 cm, v škatli 2 x 22 x 16 cm e1</b> spremna knjižica (15 str. : ilustr. ; 12 cm) <i>(A CD-ROM containing sound and displaying colours. The item is in a box of non-standard dimensions, that is why the dimensions are stated separately. The item is accompanied by a brochure catalogued according to the ISBD(M). The statement in field 215 must correspond to the coded data entered in subfield 135.)</i>

27. \*

115	uu	<b>ac b017 cc da eh fo hc kc lb oc</b>
215	uu	<b>a1 videokaseta (VHS, PAL) (ca 17 min) cč-b in barve, zvok</b> <i>(A videocassette in VHS format and standard number of lines (PAL). The trade mark or a similar designation of a technical system is enclosed in round brackets when it is important for the use of the item. The duration is also stated, if it is possible. A videocassette containing sound is a combination of black and white and colour. The statement in field 215 must correspond to the coded data in field 115.)</i>

28. \*

115	uu	<b>ac b172 cb da hb kb lk ei</b>
215	uu	<b>a2 video DVD-ja (172 min) cbarve, zvok (Dolby Digital 5.1) d12 cm</b> <i>(A coloured videorecording containing sound recorded in Dolby Digital technique. The statement in field 215 must correspond to the coded data entered in field 115.)</i>

29. \*

126	uu	<b>ai bg eb eh hf ic jd le</b>
127	uu	<b>a050205</b>
215	uu	<b>a5 CD (ca 321 min) cstereo, DDD d12 cm</b> <i>(Five CDs containing music recorded in digital and stereo technique, with approximate duration added together. The statement in field 215 must correspond to the coded data entered in fields 126 and 127.)</i>

30. \*

116	uu	<b>ad bi dc gad</b>
215	uu	<b>a2</b> plakata <b>c</b> barve <b>d</b> 99 x 67 cm, 97 x 136 cm <i>(A coloured poster with different dimensions. The statement in field 215 must correspond to the coded data in field 116.)</i>

31. \*

117	uu	<b>aaq bea bba cc</b>
215	uu	<b>a1</b> garnitura (144 lesenih ploščic, 144 nalepk različnih barv) <b>c</b> les, <b>p</b> apir, <b>b</b> arve <b>d</b> v lesenih škatli 23 x 21 x 5 cm <b>e</b> navodilo <i>(A wooden toy with coloured labels. It is accompanied by instructions. The statement in field 215 must correspond to the coded data entered in field 117.)</i>

32. \*

105	uu	<b>aa</b>
115	uu	<b>ab cb gl jf</b>
116	uu	<b>ad bi dc gad</b>
120	uu	<b>ab ba</b>
121	uu	<b>aa caa db</b>
124	uu	<b>aa bd</b>
126	uu	<b>ai bg eh hr ic</b>
215	uu	<b>a17</b> prosojnic <b>c</b> barve <b>d</b> 32 cm <b>e</b> spremno besedilo (17 f.)
215	uu	<b>a2</b> zv. (56, 32 str.) <b>c</b> ilustr. <b>d</b> 26 cm
215	uu	<b>a1</b> CD <b>c</b> AAD <b>d</b> 12 cm
215	uu	<b>a1</b> plakat <b>c</b> papir, <b>b</b> arve <b>d</b> 79 x 116 cm, <b>e</b> zložen na 20 x 29 cm
215	uu	<b>a2</b> zvd. <b>c</b> papir, <b>b</b> arve <b>d</b> 42 x 30 cm, <b>e</b> zložen na 21 x 30 cm <i>(When the item contains parts on different media, field 215 may be repeated for each part needed to be catalogued separately according to the corresponding ISBD principles.)</i>

33. \*

105	uu	<b>aa</b>
215	uu	<b>a1</b> 64 str., [4] lista s tabelama <b>c</b> tabele <b>d</b> 23 cm <b>e</b> Amerikanski žurnal po dvojnem knjigovodstvu ([4] presavijena lista) <i>(A publication contains 4 unnumbered leaves with tables. The title of the accompanying material is taken from the item. The statement in subfield 215c must correspond to the coded data entered in subfield 105a.)</i>

34. \* COBISS.net

135	uu	<b>av bh</b>
215	uu	<b>a1</b> elektronski optički disk (CD-ROM) <b>c</b> zvuk, <b>b</b> oja <b>d</b> 12 cm <i>(A CD-ROM containing sound and displaying colours. The statement in field 215 must correspond to the coded data entered in field 135.)</i>

35. \*

135	uu	<b>ad bi</b>
215	uu	<b>a1</b> spletni vir (1 datoteka PDF (480 str.)) <i>(A text file in PDF format with numbered pages.)</i>

**Physical description and location of the component part in the host item**

36. \*

011	□□	<b>a0353-5622</b>
215	□□	<b>astr. 95-123 cPortret i≠Letn. ≠12 h≠št. ≠107/108 kmaj/jun. 2000</b> <i>(A component part in the serial. Double issue is marked by a forward slash "/". The statement about other physical details is displayed in the main description area of the component part, and the location is displayed on the host item identification. A component part is linked to the serial with field 011.)</i>

The ISBD entry appears as:

STEINER, George

Smrt tragedije / George Steiner ; prevedla Katarina Jerin. - Portret. - Besedilo je prevod devetega poglavja Steinerjeve Smrti tragedije.

V: Literatura. - ISSN 0353-5622. - Letn. 12, št. 107/108 (maj/jun. 2000), str. 95-123.

37. \*

011	□□	<b>a1854-3839</b>
215	□□	<b>astr. 437-467 h≠Letn. ≠63 k2003</b> <i>(A component part in the serial. A volume is on the first level of numbering.)</i>

The ISBD entry appears as:

ŠTIBLAR, Franjo

Vpliv lastništva na uspešnost vodilnih podjetij v Sloveniji / Franjo Štiblar. - Bibliografija: str. 461-462. - Summary.

V: Zbornik znanstvenih razprav. - ISSN 1854-3839. - Letn. 63 (2003), str. 437-467.

38. \*

011	□□	<b>a0352-0730 s1408-1601</b>
215	□□	<b>astr. [36-38] i≠Leto ≠20 h≠[št.] ≠8/9 k15. mar. 2001 ostr. XVI-XVIII r≠Št. ≠1 s2001</b> <i>(A component part in "bound with" supplement of the serial. The ISSN of "bound with" supplement is entered in subfield 011s and its numbering in subfields for alternative data. The range of pages in subfield 215a must correspond to the range of pages entered in subfield 215o. The pagination of the host item is not printed in the supplement that is why it is enclosed in square brackets.)</i>

The ISBD entry appears as:

LITWAK, Mark

Internet - možnost in (pravne) pasti filmske distribucije / Mark Litwak ; prevedel Peter Kos.

V: PP. - ISSN 0352-0730. - Leto 20, [št.] 8/9 (15. mar. 2001), str. [36-38] = IP. - ISSN 1408-1601. - Št. 1 (2001), str. XVI-XVIII.

39. \*

011	□□	<b>a0353-4030 s0555-2419</b>
215	□□	<b>astr. E87-E89 h≠Št. ≠3 k1990 q≠ Letn. ≠27 [i. e. 28] r≠št. ≠ 6 s1990</b>

*(A component part in a subseries of the serial. The ISSN of a subseries is entered in subfield 011a, and its numbering in subfields 215ahk. The correction of printing errors is entered in square brackets preceded by the phrase "i. e." or its equivalent in non-Latin script.)*

The ISBD entry appears as:

ŽIŽEK, Slavoj

Rojstvo ideala-jaza iz dvojnega zrcaljenja / Slavoj Žižek. - O zgodbi Ringa Lardnerja "Kdo je delil?".

V: Problemi. Eseji. - ISSN 0353-4030. - Št. 3 (1990), str. E87-E89 = Problemi. - ISSN 0555-2419. - Letn. 27 [i. e. 28], št. 6 (1990).

40. \*

011	□□	<b>a1318-4679</b>
215	□□	<b>astr. 32-35 i≠Letn. ≠7 h≠št. ≠63 kmar. 2000 cIlustr.</b>
215	□□	<b>astr. 33-37 i≠Letn. ≠7 h≠št. ≠64 kapr. 2000 cIlustr.</b>
215	□□	<b>astr. 19-22 i≠Letn. ≠7 h≠št. ≠65 kmaj 2000 cIlustr.</b>

*(A component part in three continuations being issued within a year. If a component part is being issued in two or three continuations, field 215 may be repeated.)*

The ISBD entry appears as:

BILAN, Ozren

Povezovalni kabli zvočnikov / Ozren Bilan. - Ilustr.

V: Svet elektronike. - ISSN 1318-4679.

Letn. 7, št. 63 (mar. 2000), str. 32-35.

Letn. 7, št. 64 (apr. 2000), str. 33-37.

Letn. 7, št. 65 (maj 2000), str. 19-22.

41. \*

011	□□	<b>a0350-9737 s1408-4600</b>
215	□□	<b>astr. 38-39 h≠Št. ≠9 ksep. 2001 q≠Leto ≠9 r≠št. ≠9 ssep. 2001</b>
215	□□	<b>astr. 34-35 h≠Št. ≠10 kopt. 2001 q≠Leto ≠9 r≠št. ≠10 sokt. 2001</b>

*(A component part in "bound with" supplement has been issued in two continuations within a year. If a component part is being issued in two or three continuations, field 215 may be repeated.)*

The ISBD entry appears as:

KUŽNIK, Lea

Gremo v muzej! : družinski obisk muzeja / Lea Kužnik. - V prilogi revije Naša žena.

V: Naša žena. - ISSN 0350-9737.

Št. 9 (sep. 2001), str. 38-39 = Dediščina. - ISSN 1408-4600. - Leto 9, št. 9 (sep. 2001).

Št. 10 (okt. 2001), str. 34-35 = Dediščina. - ISSN 1408-4600. - Leto 9, št. 10 (okt. 2001).

42. \*

011	□□	<b>a0038-0482</b>
-----	----	-------------------

215	□□	<b>c</b> Portret <b>i</b> Letn. <b>#67 h</b> #št. <b>#1-#št. #5/6 k</b> jan. 2003-maj/jun. 2003 <i>(A component part has been issued in five continuations within a year. If there are more than three continuations, data are entered in one field 215. The information about the first and the last volume is connected with a hyphen. The range of pages is not quoted.)</i>
-----	----	--

The ISBD entry appears as:

MÖDERNDORFER, Vinko, 1958-

Z Lorco pod pazduho po newyorških ulicah in gledališčih : 10. oktober - 29. november / Vinko Möderndorfer. - Portret. - Bibliografija z opombami na dnu strani.

V: Sodobnost. - ISSN 0038-0482. - Letn. 67, št. 1-št. 5/6 (jan. 2003-maj/jun. 2003).

43. \*

215	□□	<b>a</b> Str. 17-19 <b>c</b> llustr.
464	□1	<b>1125716480</b> <i>(A component part in the monograph. The information about illustrations is displayed in the main description, and the range of pages is displayed on the host item identification. A component part is linked to the monograph with subfield 464.)</i>

The ISBD entry appears as:

KOKOLE, Metoda

Gabirello Puliti : prvi istrski monodik / Metoda Kokole. - Ilustr.

V: Glasbena dediščina slovenskih obalnih mest do 19. stoletja / [avtorici besedil Alenka Bagari, Metoda Kokole]. - Ljubljana : Znanstvenoraziskovalni center SAZU, Založba ZRC, 2003. - ISBN 961-6500-02-3. - Str. 17-19.

44. \*

215	□□	<b>astr.</b> [41]-52 <b>h</b> #Zv. <b>#2</b>
464	□1	<b>1108933632</b> <i>(A component part in a multi-volume monograph. The number of a volume/part is entered, which contains a component part. The first page is not printed, that is why it is enclosed in square brackets.)</i>

The ISBD entry appears as:

ČOK, Lucija

Vrednotenje interkulture izkušnje / Lucija Čok. - Bibliografija: str. 51-52.

V: Kultura, identiteta in jezik v procesih evropske integracije / ur. Inka Štrukelj. - Ljubljana : Društvo za uporabno jezikoslovje Slovenije, 2000. - ISBN 961-90658-1-6. - Zv. 2, str. [41]-52.

45. \*

215	□□	<b>astr.</b> 74 <b>h</b> #Zv. <b>#9 k</b> 1960
464	□1	<b>11859652</b>

*(A component part in a multi-volume monograph being issued for more than a year. The number of a volume/part and the year of publication are entered, which contains a component part.)*

The ISBD entry appears as:

VRIŠER, Sergej

Reiss Franc Krištof / Všr.

V: Slovenski biografski leksikon. - V Ljubljani : Zadruga gospodarska banka, 1925-1991. - ISBN 86-7131-047-7. - Zv. 9 (1960), str. 74.

46. \*

011 □□ **a1318-0509**

215 □□ **aStr. 66-72**

464 □1 **128238637**

*(A component part in a special edition of a serial. When a special edition of a serial is being catalogued as a monograph, it is in the record for a component part exceptionally the link made both with fields 011 and 464.)*

\*

001 □□ **an ba cm**

225 1□ **aMaska x1318-0509 v#letn. #23, #št. #113/114**

*(In the record for a special edition of a serial the information about the serial and its numbering is entered in field 225.)*

The ISBD entry appears as:

GRŽINIĆ, Marina

Na senčni strani Alp = On the dark side of the Alps / Marina Gržinić ; prevedla Tanja Passoni. - Ilustr. - Vzpor. besedilo v slov., prevod v angl. - Opombe pod besedilom. - Bibliografija: str. 72.

V: Pasaža pogleda / [uredili, editors Karla Železnik & Katja Praznik]. - Ljubljana : Maska, 2008. - (Maska, ISSN 1318-0509 ; letn. 23, št. 113/114). - Str. 66-72.

47. \*

001 □□ **an bl ca d2**

011 □□ **a1580-4240**

135 □□ **ad bi**

215 □□ **h#Št. #95 k9. dec. 1998**

230 □□ **aE-članek**

*(A component part in a web edition of a serial. The record must contain all fields that correspond to the document type according to ISBD(ER).)*

The ISBD entry appears as:

BORAK, Neven

**Slovo neodvisnih [Elektronski vir] / Neven Borak. - E-članek.**

Način dostopa (URL): <http://www.finance-on.net/vpistem.php>. - Nasl. z nasl. zaslona. - Opis vira z dne 23.10.2000. - Rubrika: **Gospodarstvo in politika.**

V: Finance [Elektronski vir]. - ISSN 1580-4240. - Št. 95 (9. dec. 1998).

48. \*

001	□□	<b>an bj ca d2</b>
215	□□	<b>askladba 5 hCD 2</b>
464	□1	<b>1275335</b>

*(A component part is a sound recording. The host item has been issued in more volumes/parts. The location of a component part is stated together with phrases corresponding to the document type according to ISBD(NBM). The record must contain all fields that correspond to the document type. A component part is linked to non-book material with field 464.)*

The ISBD entry appears as:

BACH, Johann Sebastian

Kleines harmonisches Labyrinth, BWV 591 [Zvočni posnetek] / Johann Sebastian Bach ; Peter Hurford.

V: The organ works [Zvočni posnetek] / Bach. - London : DECCA, 1995. - CD 2, skladba 5.

49. \* COBISS.net

011	□□	<b>a0032-7271</b>
215	□□	<b>astr. 219-244 i#God. #79 h#br. #3/4 k1990</b>

*(A component part in a serial. A double issue is marked by a forward slash "/". The location of a component part is displayed on the host item identification. A component part is linked to the serial with field 011.)*

The ISBD entry appears as:

MUJAN, Azem

Socijalno-psihološke implikacije huliganstva / Azem Mujan, Snježana Zuković.

U: Pregled. - ISSN 0032-7271. - God. 79, br. 3/4 (1990), str. 219-244.

50. \* COBISS.net

011	□□	<b>a0040-2176</b>
215	□□	<b>astr. M7-M13 i#God. #54 h#br. #3 k1999</b>

*(A component part in a serial. The location of a component part is displayed on the host item identification. A component part is linked to the serial with field 011.)*

The ISBD entry appears as:

VORONJEC, Dimitrije

Određivanje efektivnog koeficijenta prenosa toplote za uprošćeni termički proračun tunelskih peći u keramičkoj industriji / Dimitrije Voronjec, Kemal Tahirbegović, Nenad Radojković. - Bibliografija: str. M13.

U: Tehnika. - ISSN 0040-2176. - God. 54, br. 3 (1999), str. M7-M13.

51. \* COBISS.net

215	□□	<b>aStr. 49-56</b>
464	□1	<b>1159427335</b>

*(A component part in a monograph. The range of pages is displayed on the host item identification. A component part is linked to the monograph with field 464.)*

The ISBD entry appears as:

KLAŠNJA, Mile

Kvalitet vode za industriju pića : tehnoeekonomski aspekt / Mile  
Klašnja. - Bibliografija: str. 56.

U: Zbornik radova / V savetovanje industrije alkoholnih i bezalkoholnih  
pića i sirćeta sa međunarodnim učešćem, Vrnjačka Banja 4-7 juni 2000. god.  
- Beograd : Poslovna zajednica Vrenje, 2000. - Str. 49-56.

52. \*

011	uu	<b>a0025-5939</b>
215	uu	<b>astr. 5 g≠God. ≠184 i≠knj. ≠481 h≠sv. ≠1/2 kjan-feb. 2008</b>
		<i>(A component part in the serial. The host item has 3 levels of numbering.)</i>