

992 FIELD FOR LOCAL NEEDS*

This field is used for entering data relating to the local library needs.

Subfields & repeatability

FIELD/SUBFIELD		REPEATABILITY
992	Field for local needs*	nr
	a <i>Statistic code**</i>	nr
	b <i>Record marks</i>	nr
	c <i>Total no. of issues in one year**</i>	nr
	d <i>Publication purpose**</i>	nr
	e <i>Number of copies printed**</i>	nr
	f <i>Type of publisher**</i>	nr
	g <i>First dates and Volume designator**</i>	nr
	h <i>Publication year remark**</i>	nr
	l <i>Routing Name and Address**</i>	r
	v <i>In:</i>	nr
	x <i>Sorting subject term**</i>	r
	y <i>Inventory number of serial</i>	r
	6 <i>Linking data</i>	nr

Indicators

Indicator values are not defined.

SUBFIELDS

992a Statistic code**

Subfield was used until 1991.

992b Record marks

This subfield is designated for entering record marks that enable different selection and display of the records.

Records that have been marked may be later displayed within new publications lists, bibliographies, statistics, etc.

This way of marking may also be used for the needs of statistics of a particular cataloguer's job; marks are separated from each other by a comma (see examples 1, 2, 3).

-
- 992c Total no. of issues in one year****
992d Publication purpose**
992e Number of copies printed**
992f Type of publisher**
992g First dates and Volume designator**
992h Publication year remark**
992l Routing Name and Address**
992x Sorting subject term**

Subfields were used until 1991.

992y Inventory number of serial

This subfield is designated for making connection between a serial holdings and a publication complete when issued which is its component part.

Such a publication is catalogued both as a serial and a publication complete when issued (it has both ISSN and ISBN). The holdings data are entered only for a serial in field 997, and the connection with a publication complete when issued is made by entering the inventory number in subfield 992y in the record of a publication complete when issued.

Besides the inventory number of a serial the number/designation of an issue is entered in subfield 992y; the data is separated from each other with a comma. The issue designation is always entered in capital letters (see examples 4, 5, 6).

In the record for publication completed when issued the title of a serial is entered in subfield 225a, its ISSN in subfield 225x, and the issue numbering (volume, issue, etc.) is entered in subfield 225v. All other subfields within field 225 may be entered, if it is necessary. (see example 7).

9926 Linking data

Subfield was used until 1991.

EXAMPLES

1. *

992	uu	bbroj_bibliografije, lična_statistika_bibliotekara
-----	----	--

2. *

992	uu	bdd9010,ap9015
-----	----	----------------

3. *

992	uu	baonv9010,sovm9014,povs9023
-----	----	-----------------------------

4. *

992	□□	y199401130,6
-----	----	--------------

5. *

992	□□	y198100231,2/3
-----	----	----------------

6. *

992	□□	y199605012,PRIL1
-----	----	------------------

7. *

011	□□	e0351-0026
200	1□	aZdravstveno varstvo ɛrevija za teorijo in prakso preventivnega zdravstvenega varstva e= Slovenian journal of public health
997	02	c1 df2\n4572\s34,1995 f199502760 jLet.\34 k1995 mšt.\1/2+3/4+5/8<I. slovenski kongres preventivne medicine>+9-10+11/12 o19950623 p4 vd (A record for a serial.)

200	0□	aI. slovenski kongres preventivne medicine, Bled, 19. - 22. oktober 1994
225	2□	aZdravstveno varstvo x0351-0026 v#Let. #34, #št. #5/8
992	□□	y199502760,5/8 (A record for a special issue.)