

## 220 AUTHORIZED ACCESS POINT – FAMILY NAME

This field contains a family name access point.

### Subfields & repeatability

FIELD/SUBFIELD		REPEATABILITY
220	Authorized access point – family name	nr
<b>a</b>	<i>Entry element</i>	nr
<b>c</b>	<i>Type of family</i>	nr
<b>f</b>	<i>Dates</i>	nr
<b>9</b>	<i>Language of the base access point</i>	nr

### Indicators

Indicator values are not defined.

## SUBFIELDS

Subfield 9 is described in the *Control Subfields* chapter.

---

### 220a Entry element

The family name as a search element. Subfield is mandatory.

---

### 220c Type of family

A generic descriptor for the type of family that includes categories such as clan, dynasty, family unit, patriarchy, matriarchy, etc.

---

### 220f Dates

Dates associated with the family when they are required as part of the access point (see example 2).

## NOTES ON FIELD CONTENTS

The field contains the preferred form of a family name formulated in accordance with the national descriptive cataloguing rules or subject system.

The subfield forming the base access point that identifies the family name is subfield a.

## RELATED FIELDS

**420** *VARIANT ACCESS POINT – FAMILY NAME*

**520** *RELATED ACCESS POINT – FAMILY NAME*

**720** *AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – FAMILY NAME*

## EXAMPLES

1.

220	□□	aDuecker cFamily
-----	----	------------------

2.

220	□□	aPahlavi cDynasty f1925-1979
-----	----	------------------------------

3.

220	□□	aBragança cCasa de
-----	----	--------------------

4. \*

220	□□	9ita aCoronini cplemiška rodbina <i>(Record from the General List of Subject Headings (SGC).)</i>
-----	----	--

5. \*

220	□□	aHabsburžani cvladarska rodbina <i>(Record from the General List of Subject Headings (SGC).)</i>
-----	----	---