

A FIELD/SUBFIELD LIST

A.1 AUTHORITY RECORDS (CONOR)

Legend:

Ind.	:	Indicators (default values)
□	:	Blank, no indicator
PN	:	Personal names
CB	:	Corporations
-	:	Subfield is not present.
0	:	Subfield is in a sample.
1	:	Subfield is mandatory.
Rep.	:	Repeatability
R	:	Subfield is repeatable.
NR	:	Subfield is not repeatable.
Len.	:	Length
v	:	It is possible to enter less than prescribed number of characters.
Def.	:	Default value

	Field/Subfield	Ind.	Sample PN CB	Rep.	Len.	Def.
000	IDENTIFICATION BLOCK	□□		NR		
001	RECORD LABEL	□□		NR		
	a Record status		1 1	NR	1	n
	b Type of record		1 1	NR	1	x
	c Type of entity		1 1	NR	1	a ¹
	g Encoding level		0 0	NR	1	
	x Replacement record ID*		0 0	NR	200 ^v	
010	INTERNATIONAL STANDARD NAME IDENTIFIER (ISNI)	□□		NR		
	a Number (ISNI)		0 0	NR	16 ^v	
	y Cancelled ISNI		0 0	R		
	z Erroneous ISNI		0 0	R		
017	OTHER IDENTIFIER	□□		R		
	a Identifier		0 0	NR	79 ^v	
	b Qualification		0 0	NR		
	z Erroneous identifier		0 0	R		
	2 System code		0 0	NR	20 ^v	
035	CONTROL NUMBERS OF RECORDS IN OTHER SYSTEMS	□□		R		
	a System control number		0 0	NR		
	z Cancelled or invalid control number		0 0	R		

¹ The default value of the entity type is different in different input masks. In the input mask PN the default value is "a", and in the input mask CB it is "b".

	Field/Subfield	Ind.	Sample PN CB	Rep.	Len.	Def.
100	GENERAL PROCESSING DATA	□□		NR		
	b Status of authorized access point code		1 1	NR	1	
	c Language of cataloguing		1 1	NR	3	slv ²
	d Transliteration code ³		- -	NR	1	
	g Script of cataloguing		1 1	NR	2	ba ⁴
101	LANGUAGE OF THE ENTITY	□□		NR		
	a Language used by the entity		0 0	R	3	
102	NATIONALITY OF THE ENTITY	□□		NR		
	a Country of nationality		0 0	R	3	
	b Locality		0 0	R	2	
106	ACCESS POINT USED AS SUBJECT	□□		NR		
	a Use of the access point		0 0	NR	1	0 ⁵
120	CODED DATA FOR PERSONAL NAME	□□		NR		
	a Gender of entity		0 -	NR	1	
	b Differentiated or undifferentiated personal name		0 -	NR	1	
150	CODED DATA FOR CORPORATE NAME	□□		NR		
	a Type of government agency		- 0	NR	1	
	b Conference or meeting code		- 0	NR	1	
152	RULES	□□		NR		
	a Cataloguing rules		0 0	NR	10 ^v	PPIAK ⁴
190	DATE OF BIRTH/BEGINNING*	11		NR		
	a Year		0 0	NR	4	
	b Month		0 0	NR	2	
	c Day		0 0	NR	2	
191	DATE OF DEATH/ENDING*	11		NR		
	a Year		0 0	NR	4	
	b Month		0 0	NR	2	
	c Day		0 0	NR	2	
200	AUTHORIZED ACCESS POINT – PERSONAL NAME ⁶	□1		NR		
	a Entry element		1 -	NR		
	b Part of name (not entry element)		0 -	NR		
	c Additions other than dates		0 -	R		
	d Roman numerals		0 -	NR		
	f Dates		0 -	NR		
	r Researcher code*		0 -	NR	5 ^v	
	7 Script of the base access point ⁷		- -	NR	2	
	9 Language of the base access point ⁷		- -	NR	3	
210	AUTHORIZED ACCESS POINT – CORPORATE BODY NAME ⁶	02		NR		
	a Entry element		- 1	NR		
	b Subdivision		- 0	R		
	c Addition to name or qualifier		- 0	R		
	d Number of meeting		- 0	NR		

² The default value of the language of cataloguing depends on the language that is used in the COBISS system.

³ The subfield is used in the COBISS systems that require catalogues in multiple scripts or languages.

⁴ The default value is different in different COBISS systems.

⁵ The default value is set only in the input mask CB.

⁶ The subfield is repeatable in the COBISS systems that require catalogues in multiple scripts.

⁷ The subfield is used in the COBISS systems that require catalogues in multiple scripts or languages.

	Field/Subfield	Ind.	Sample PN CB	Rep.	Len.	Def.
	e Location of meeting		- 0	R		
	f Date of meeting		- 0	NR	9 ^v	
	g Inverted element		- 0	NR		
	h Part of name (not entry or inverted element)		- 0	NR		
	7 Script of the base access point ⁷		- -	NR	2	
	9 Language of the base access point ⁷		- -	NR	3	
300	INFORMATION NOTE	0□		R		
	a Note text		0 0	NR		
320	GENERAL EXPLANATORY REFERENCE NOTE	□□		R		
	a Note text		0 0	NR		
330	GENERAL SCOPE NOTE	0□		R		
	a Note text		0 0	NR		
340	BIOGRAPHY AND ACTIVITY NOTE	□□		R		
	a Note text		0 0	NR		
400	VARIANT ACCESS POINT – PERSONAL NAME	□1		R		
	a Entry element		0 -	NR		
	b Part of name (not entry element)		0 -	NR		
	c Additions other than dates		0 -	R		
	d Roman numerals		0 -	NR		
	f Dates		0 -	NR		
	5 Relationship control		0 -	NR	4 ^v	
	7 Script of the base access point ⁷		- -	NR	2	
	9 Language of the base access point		0 -	NR	3	
410	VARIANT ACCESS POINT – CORPORATE BODY NAME	02		R		
	a Entry element		- 0	NR		
	b Subdivision		- 0	R		
	c Addition to name or qualifier		- 0	R		
	d Number of meeting		- 0	NR		
	e Location of meeting		- 0	R		
	f Date of meeting		- 0	NR	9 ^v	
	g Inverted element		- 0	NR		
	h Part of name (not entry or inverted element)		- 0	NR		
	5 Relationship control		- 0	NR	4 ^v	
	7 Script of the base access point ⁷		- -	NR	2	
	9 Language of the base access point		- 0	NR	3	
500	RELATED ACCESS POINT – PERSONAL NAME	□1		R		
	a Entry element		0 0	NR		
	b Part of name (not entry element)		0 0	NR		
	c Additions other than dates		0 0	R		
	d Roman numerals		0 0	NR		
	f Dates		0 0	NR		
	3 Record number		0 0	NR	70 ^v	
	5 Relationship control		0 0	NR	4 ^v	
	7 Script of the base access point ⁷		- -	NR	2	
	9 Language of the base access point ⁷		- -	NR	3	
510	RELATED ACCESS POINT – CORPORATE BODY NAME	02		R		
	a Entry element		0 0	NR		

	Field/Subfield	Ind.	Sample PN CB	Rep.	Len.	Def.
	b Subdivision		0 0	R		
	c Addition to name or qualifier		0 0	R		
	d Number of meeting		0 0	NR		
	e Location of meeting		0 0	R		
	f Date of meeting		0 0	NR	9 ^v	
	g Inverted element		0 0	NR		
	h Part of name (not entry or inverted element)		0 0	NR		
	3 Record number		0 0	NR	70 ^v	
	5 Relationship control		0 0	NR	4 ^v	
	7 Script of the base access point ⁷		- -	NR	2	
	9 Language of the base access point ⁷		- -	NR	3	
686	OTHER CLASSIFICATION NUMBERS	□□		R		
	a Number		0 -	NR	70 ^v	
	2 System code		0 -	NR	20 ^v	
700	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – PERSONAL NAME ⁸	□1		R		
	a Entry element		- -	NR		
	b Part of name (not entry element)		- -	NR		
	c Additions other than dates		- -	R		
	d Roman numerals		- -	NR		
	f Dates		- -	NR		
	3 Record number		- -	NR	15 ^v	
	7 Script of the base access point		- -	NR	2	
	9 Language of the base access point		- -	NR	3	
710	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – CORPORATE BODY NAME ⁸	02		R		
	a Entry element		- -	NR		
	b Subdivision		- -	R		
	c Addition to name or qualifier		- -	R		
	d Number of meeting		- -	NR		
	e Location of meeting		- -	R		
	f Date of meeting		- -	NR		
	g Inverted element		- -	NR		
	h Part of name (not entry or inverted element)		- -	NR		
	3 Record number		- -	NR	15 ^v	
	7 Script of the base access point		- -	NR	2	
	9 Language of the base access point		- -	NR	3	
810	SOURCE DATA FOUND	□□		R		
	a Citation		0 0	NR		
	b Information found		0 0	NR		
815	SOURCE DATA NOT FOUND	□□		NR		
	a Citation		0 0	R		
820	USAGE OR SCOPE INFORMATION	□□		R		
	a Note text		0 0	R		
830	GENERAL CATALOGUER'S NOTE	□□		R		
	a Note text		0 0	R		
835	DELETED ACCESS POINT INFORMATION	□□		R		
	a Note text		0 0	R		

⁸ The field is used in the COBISS systems that require catalogues in multiple languages.

	Field/Subfield	Ind.	Sample PN CB	Rep.	Len.	Def.
	b Replacement access point		0 0	R		
	d Date of the transaction		0 0	NR	8 ^v	
836	REPLACED ACCESS POINT INFORMATION	□□		R		
	b Replaced access point		0 0	NR		
	d Date of the transaction		0 0	NR	8 ^v	
856	ELECTRONIC LOCATION AND ACCESS	4□		R		
	a Host name		0 0	R		
	b Access number		0 0	R		
	c Compression information		0 0	R		
	d Path		0 0	R		
	e Date and hour of consultation and access		- -	NR	12 ^v	
	f Electronic name		0 0	R		
	g Uniform Resource Name		0 0	R		
	h Processor of request		0 0	NR		
	i Instruction		0 0	R		
	j Bits per second		0 0	NR		
	k Password		0 0	NR		
	l Logon/login		0 0	NR		
	m Contact for access assistance		0 0	R		
	n Name of location of host in subfield a		0 0	NR		
	o Operating system		0 0	NR		
	p Port		0 0	NR		
	q Electronic format type		0 0	NR		
	r Settings		0 0	NR		
	s File size		0 0	R		
	t Terminal emulation		0 0	R		
	u Uniform Resource Locator		0 0	NR		
	v Hours access method available		0 0	R		
	x Nonpublic note		0 0	R		
	y Access method		0 0	NR		
	w Record control number		0 0	R		
	z Public note		0 0	R		
911	NAME SOURCE*	□□		NR		
	a Institution/organization code		0 0	R	20 ^v	
	b Most frequent creator		0 -	NR		
	c Frequency		0 0	NR		
915	UNLINKED SEE REFERENCE – PERSONAL NAME**	1□		R		
	a Entry element		- -	NR		
	b Part of name (not entry element)		- -	NR		
	c Additions other than dates		- -	R		
	d Roman numerals		- -	NR		
	f Dates		- -	NR		
	5 Relationship control		- -	NR	1 ^v	
916	CONVERSION NOTE*	□□		R		
	x Note text		0 -	NR		
990	RELINKING*	□□		R		
	a Date		0 0	NR	8 ^v	
	b Bibliographic record ID		0 0	R	10 ^v	
	n Authority record ID		0 0	NR	15 ^v	
992	FIELD FOR LOCAL NEEDS*	□□		NR		

Field/Subfield	Ind.	Sample PN CB	Rep.	Len.	Def.
b Record marks	0	0	NR		
