

A FIELDS/SUBFIELDS LIST

A.2 SGC RECORDS

A.2.1 AUTHORITY RECORDS (SGC)

Legend:

Ind.	:	Indicators (default values)
□	:	Blank, no indicator
PN	:	Personal names
CB	:	Corporations
GN	:	Geographical names
FN	:	Family names
UT	:	Titles
NT	:	Name/Title
ET	:	Conventional name/title for legal and religious texts
TN	:	Topical subjects
FS	:	Forms, genres or physical characteristics
-	:	Subfield is not present.
0	:	Subfield is in a sample.
1	:	Subfield is mandatory.
Rep.	:	Repeatability
R	:	Subfield is repeatable.
NR	:	Subfield is not repeatable.
Len.	:	Length
v	:	It is possible to enter less than prescribed number of characters.
Def.	:	Default value

Field/Subfield	Ind.	Sample										Rep.	Len.	Def.
		PN	CB	GN	FN	UT	NT	ET	TN	FS				
000 SYSTEM FIELD	□□											NR		
001 RECORD LABEL	□□											NR		
a Record status		1	1	1	1	1	1	1	1	1	1	NR	1	n
b Type of record		1	1	1	1	1	1	1	1	1	1	NR	1	x
c Type of entity		1	1	1	1	1	1	1	1	1	1	NR	1	a ¹
g Encoding level		0	0	0	0	0	0	0	0	0	0	NR	1	
x Replacement record ID*		0	0	0	0	0	0	0	0	0	0	NR	200 ^v	
035 CONTROL NUMBERS OF RECORDS IN OTHER SYSTEMS	□□											R		
a System control number		0	0	0	0	0	0	0	0	0	0	NR		
z Cancelled or invalid control number		0	0	0	0	0	0	0	0	0	0	R		
100 GENERAL PROCESSING DATA	□□											NR		
b Status of authorized access point code		1	1	1	1	1	1	1	1	1	1	NR	1	

¹ In mask PN the default value is "a", in mask CB the value is "b", in mask GN the value is "c", in mask FN the value is "e", in mask UT the value is "f", in mask NT the value is "h", in mask ET the value is "i", in mask TN the value is "j", in mask FS the value is "l".

	Field/Subfield	Ind.	Sample									Rep.	Len.	Def.		
			PN	CB	GN	FN	UT	NT	ET	TN	FS					
	c Language of cataloguing		1	1	1	1	1	1	1	1	1	1	1	NR	3	slv
	d Transliteration code		0	0	-	0	0	0	0	-	-	-	-	NR	1	
	g Script of cataloguing		1	1	1	1	1	1	1	1	1	1	1	NR	2	ba
101	LANGUAGE OF THE ENTITY	□□												NR		
	a Language used by the entity		0	0	-	0	0	0	0	-	-	-	-	R	3	
102	NATIONALITY OF THE ENTITY	□□												NR		
	a Country of nationality		0	0	-	0	0	0	0	-	-	-	-	R	3	xxx ²
	b Locality		0	0	-	0	0	0	0	-	-	-	-	R	2	
106	ACCESS POINT USED AS SUBJECT	□□												NR		
	a Use of the access point		1	1	1	1	1	1	1	1	1	1	1	NR	1	
120	CODED DATA FOR PERSONAL NAME	□□												NR		
	a Gender of entity		1	-	-	-	-	-	-	-	-	-	-	NR	1	
	b Differentiated or undifferentiated personal name		1	-	-	-	-	-	-	-	-	-	-	NR	1	
123	CODED DATA FOR GEOGRAPHICAL NAME	□□												R		
	d Co-ordinates – westernmost longitude		-	-	0	-	-	-	-	-	-	-	-	NR	8	
	e Co-ordinates – easternmost longitude		-	-	0	-	-	-	-	-	-	-	-	NR	8	
	f Co-ordinates – northernmost latitude		-	-	0	-	-	-	-	-	-	-	-	NR	8	
	g Co-ordinates – southernmost latitude		-	-	0	-	-	-	-	-	-	-	-	NR	8	
128	CODED DATA FOR FORM OF MUSICAL WORK AND KEY	□□												R		
	a Form of musical work		-	-	-	-	0	0	-	-	-	-	-	NR	3 ^v	
	d Key or mode of musical work		-	-	-	-	0	0	-	-	-	-	-	NR	3 ^v	
150	CODED DATA FOR CORPORATE NAME	□□												NR		
	a Type of government agency		-	1	-	-	-	-	-	-	-	-	-	NR	1	
	b Conference or meeting code		-	1	-	-	-	-	-	-	-	-	-	NR	1	
152	RULES	□□												NR		
	a Cataloguing rules		0	0	0	0	0	0	0	-	-	-	-	NR	10 ^v	
	b Subject system		0	0	0	0	0	0	0	0	0	0	0	NR	3	sgc ³
154	CODED DATA FOR TITLE	□□												NR		
	a Title data		-	-	-	-	0	0	0	-	-	-	-	NR	1	
160	GEOGRAPHIC AREA CODE	□□												NR		
	a Geographic area code		-	-	0	-	-	-	-	-	-	-	-	R	7	
	b Local geographic area code*		-	-	0	-	-	-	-	-	-	-	-	R	7	
180	CODED DATA FOR FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□												NR		
	a Form or genre or physical characteristics code		-	-	-	-	-	-	-	-	-	-	1	NR	1	
190	DATE OF BIRTH/BEGINNING*	11												NR		
	a Year		0	0	-	-	0	-	-	-	-	-	-	NR	4	
	b Month		0	0	-	-	0	-	-	-	-	-	-	NR	2	
	c Day		0	0	-	-	0	-	-	-	-	-	-	NR	2	
191	DATE OF DEATH/ENDING*	11												NR		

² The default value in input masks NT and ET is "xxx".

³ The default value of the subject system is different in individual COBISS systems; in the COBISS.SI system, the default value in input mask TN is "sgc".

Field/Subfield	Ind.	Sample										Rep.	Len.	Def.
		PN	CB	GN	FN	UT	NT	ET	TN	FS				
a Year		0	0	-	-	0	-	-	-	-	-	NR	4	
b Month		0	0	-	-	0	-	-	-	-	-	NR	2	
c Day		0	0	-	-	0	-	-	-	-	-	NR	2	
192 SUBTYPE OF ENTITY*	□□											NR		
a Subtype of entity		0	0	0	0	0	0	0	0	-		NR	2	
200 AUTHORIZED ACCESS POINT – PERSONAL NAME	□1											NR		
a Entry element		1	-	-	-	-	-	-	-	-	-	NR		
b Part of name (not entry element)		0	-	-	-	-	-	-	-	-	-	NR		
c Additions other than dates		0	-	-	-	-	-	-	-	-	-	R		
d Roman numerals		0	-	-	-	-	-	-	-	-	-	NR		
f Dates		0	-	-	-	-	-	-	-	-	-	NR		
r Researcher code*		0	-	-	-	-	-	-	-	-	-	NR	5 ^v	
9 Language of the base access point		0	-	-	-	-	-	-	-	-	-	NR	3	
210 AUTHORIZED ACCESS POINT – CORPORATE BODY NAME												NR		
a Entry element		-	1	-	-	-	-	-	-	-	-	NR		
b Subdivision		-	0	-	-	-	-	-	-	-	-	R		
c Addition to name or qualifier		-	0	-	-	-	-	-	-	-	-	R		
d Number of meeting		-	0	-	-	-	-	-	-	-	-	NR		
e Location of meeting		-	0	-	-	-	-	-	-	-	-	R		
f Date of meeting		-	0	-	-	-	-	-	-	-	-	NR	9 ^v	
g Inverted element		-	0	-	-	-	-	-	-	-	-	NR		
h Part of name (not entry or inverted element)		-	0	-	-	-	-	-	-	-	-	NR		
9 Language of the base access point		-	0	-	-	-	-	-	-	-	-	NR	3	
215 AUTHORIZED ACCESS POINT – TERRITORIAL OR GEOGRAPHICAL NAME	□□											NR		
a Entry element		-	-	1	-	-	-	-	-	-	-	NR		
9 Language of the base access point		-	-	0	-	-	-	-	-	-	-	NR	3	
220 AUTHORIZED ACCESS POINT – FAMILY NAME	□□											NR		
a Entry element		-	-	-	1	-	-	-	-	-	-	NR		
c Type of family		-	-	-	0	-	-	-	-	-	-	NR		
f Dates		-	-	-	0	-	-	-	-	-	-	NR		
9 Language of the base access point		-	-	-	0	-	-	-	-	-	-	NR	3	
230 AUTHORIZED ACCESS POINT – TITLE	□□											NR		
a Entry element		-	-	-	-	1	-	-	-	-	-	NR		
h Number of section or part		-	-	-	-	0	-	-	-	-	-	R		
i Name of section or part		-	-	-	-	0	-	-	-	-	-	R		
k Date of publication		-	-	-	-	0	-	-	-	-	-	NR	20 ^v	
l Form subheading		-	-	-	-	0	-	-	-	-	-	NR		
m Language		-	-	-	-	0	-	-	-	-	-	NR		
n Miscellaneous information		-	-	-	-	0	-	-	-	-	-	R		
q Version (or date of version)		-	-	-	-	0	-	-	-	-	-	NR		
r Medium of performance (for music)		-	-	-	-	0	-	-	-	-	-	R		
s Numeric designation (for music)		-	-	-	-	0	-	-	-	-	-	R		
u Key (for music)		-	-	-	-	0	-	-	-	-	-	NR		
w Arranged statement (for music)		-	-	-	-	0	-	-	-	-	-	NR		
9 Language of the base access point		-	-	-	-	0	-	-	-	-	-	NR	3	

	Field/Subfield	Ind.	Sample										Rep.	Len.	Def.	
			PN	CB	GN	FN	UT	NT	ET	TN	FS					
240	AUTHORIZED ACCESS POINT – NAME/TITLE	□□												NR		
	a Name		-	-	-	-	-	1	-	-	-	-	-	NR		
	t Title		-	-	-	-	-	1	-	-	-	-	-	NR		
	9 Language of the base access point		-	-	-	-	-	0	-	-	-	-	-	NR	3	
243	AUTHORIZED ACCESS POINT – CONVENTIONAL NAME/TITLE FOR LEGAL AND RELIGIOUS TEXTS	□												NR		
	a Entry element		-	-	-	-	-	-	1	-	-	-	-	NR		
	t Conventional title		-	-	-	-	-	-	1	-	-	-	-	NR		
	9 Language of the base access point		-	-	-	-	-	-	0	-	-	-	-	NR	3	
250	AUTHORIZED ACCESS POINT – TOPICAL SUBJECT	□□												NR		
	a Topical subject		-	-	-	-	-	-	-	1	-	-	-	NR		
	n Subject category code		-	-	-	-	-	-	-	0	-	-	-	NR	1	
	m Subject subcategory code		-	-	-	-	-	-	-	0	-	-	-	NR	2	
	9 Language of the base access point		-	-	-	-	-	-	-	0	-	-	-	NR	3	
280	AUTHORIZED ACCESS POINT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□												NR		
	a Entry element		-	-	-	-	-	-	-	-	1	-	-	NR		
	9 Language of the base access point		-	-	-	-	-	-	-	-	0	-	-	NR	3	
300	INFORMATION NOTE	1□												R		
	a Note text		0	0	0	0	0	0	0	0	0	0	0	NR		
305	TEXTUAL SEE ALSO REFERENCE NOTE	1□												R		
	a Instruction phrase		0	0	0	0	0	0	0	0	0	0	0	NR		
	b Access point referred to		0	0	0	0	0	0	0	0	0	0	0	R		
330	GENERAL SCOPE NOTE	1□												R		
	a Note text		0	0	0	0	0	0	0	0	0	0	0	NR		
340	BIOGRAPHY AND ACTIVITY NOTE	□□												R		
	a Note text		0	0	-	0	-	-	-	-	-	-	-	NR		
356	GEOGRAPHICAL NOTE	□□												R		
	a Note text		-	-	0	-	-	-	-	-	-	-	-	NR		
400	VARIANT ACCESS POINT – PERSONAL NAME	□1												R		
	a Entry element		0	-	-	-	-	-	-	-	0	0	NR			
	b Part of name (not entry element)		0	-	-	-	-	-	-	-	0	0	NR			
	c Additions other than dates		0	-	-	-	-	-	-	-	0	0	R			
	d Roman numerals		0	-	-	-	-	-	-	-	0	0	NR			
	f Dates		0	-	-	-	-	-	-	-	0	0	NR			
	g Expansion of initials of forename		0	-	-	-	-	-	-	-	0	0	NR			
	j Form subdivision		0	-	-	-	-	-	-	-	0	0	R			
	x Topical subdivision		0	-	-	-	-	-	-	-	0	0	R			
	y Geographical subdivision		0	-	-	-	-	-	-	-	0	0	R			
	z Chronological subdivision		0	-	-	-	-	-	-	-	0	0	R			
	2 System code		0	-	-	-	-	-	-	-	0	0	NR	10 ^v		
	3 Record number		0	-	-	-	-	-	-	-	0	0	NR	15 ^v		
	5 Relationship control		0	-	-	-	-	-	-	-	0	0	NR	4 ^v		
	8 Language of cataloguing		0	-	-	-	-	-	-	-	0	0	NR	3		

	Field/Subfield	Ind.	Sample								Rep.	Len.	Def.	
			PN	CB	GN	FN	UT	NT	ET	TN				FS
	9 Language of the base access point		0	-	-	-	-	-	-	0	0	NR	3	
410	VARIANT ACCESS POINT – CORPORATE BODY NAME											R		
	a Entry element		-	0	0	-	-	-	-	0	0	NR		
	b Subdivision		-	0	0	-	-	-	-	0	0	R		
	c Addition to name or qualifier		-	0	0	-	-	-	-	0	0	R		
	d Number of meeting		-	0	0	-	-	-	-	0	0	NR		
	e Location of meeting		-	0	0	-	-	-	-	0	0	R		
	f Date of meeting		-	0	0	-	-	-	-	0	0	NR	9 ^v	
	g Inverted element		-	0	0	-	-	-	-	0	0	NR		
	h Part of name (not entry or inverted element)		-	0	0	-	-	-	-	0	0	NR		
	j Form subdivision		-	0	0	-	-	-	-	0	0	R		
	x Topical subdivision		-	0	0	-	-	-	-	0	0	R		
	2 System code		-	0	0	-	-	-	-	0	0	NR	10 ^v	
	3 Record number		-	0	0	-	-	-	-	0	0	NR	15 ^v	
	5 Relationship control		-	0	0	-	-	-	-	0	0	NR	4 ^v	
	8 Language of cataloguing		-	0	0	-	-	-	-	0	0	NR	3	
	9 Language of the base access point		-	0	0	-	-	-	-	0	0	NR	3	
415	VARIANT ACCESS POINT – TERRITORIAL OR GEOGRAPHICAL NAME											R		
	a Entry element		-	0	0	-	-	-	-	0	0	NR		
	j Form subdivision		-	0	0	-	-	-	-	0	0	R		
	x Topical subdivision		-	0	0	-	-	-	-	0	0	R		
	y Geographical subdivision		-	0	0	-	-	-	-	0	0	R		
	z Chronological subdivision		-	0	0	-	-	-	-	0	0	R		
	2 System code		-	0	0	-	-	-	-	0	0	NR	10 ^v	
	3 Record number		-	0	0	-	-	-	-	0	0	NR	15 ^v	
	5 Relationship control		-	0	0	-	-	-	-	0	0	NR	4 ^v	
	8 Language of cataloguing		-	0	0	-	-	-	-	0	0	NR	3	
	9 Language of the base access point		-	0	0	-	-	-	-	0	0	NR	3	
420	VARIANT ACCESS POINT – FAMILY NAME											R		
	a Entry element		-	-	-	0	-	-	-	-	-	NR		
	c Type of family		-	-	-	0	-	-	-	-	-	NR		
	f Dates		-	-	-	0	-	-	-	-	-	NR		
	j Form subdivision		-	-	-	0	-	-	-	-	-	R		
	x Topical subdivision		-	-	-	0	-	-	-	-	-	R		
	y Geographical subdivision		-	-	-	0	-	-	-	-	-	R		
	z Chronological subdivision		-	-	-	0	-	-	-	-	-	R		
	2 System code		-	-	-	0	-	-	-	-	-	NR	10 ^v	
	3 Record number		-	-	-	0	-	-	-	-	-	NR	15 ^v	
	5 Relationship control		-	-	-	0	-	-	-	-	-	NR	4 ^v	
	8 Language of cataloguing		-	-	-	0	-	-	-	-	-	NR	3	
	9 Language of the base access point		-	-	-	0	-	-	-	-	-	NR	3	
430	VARIANT ACCESS POINT – TITLE											R		
	a Entry element		-	-	-	-	0	-	-	0	0	NR		
	h Number of section or part		-	-	-	-	0	-	-	0	0	R		
	i Name of section or part		-	-	-	-	0	-	-	0	0	R		
	j Form subdivision		-	-	-	-	0	-	-	0	0	R		
	k Date of publication		-	-	-	-	0	-	-	0	0	NR	20 ^v	
	l Form subheading		-	-	-	-	0	-	-	0	0	NR		
	m Language		-	-	-	-	0	-	-	0	0	NR		

Field/Subfield	Ind.	Sample										Rep.	Len.	Def.
		PN	CB	GN	FN	UT	NT	ET	TN	FS				
n Miscellaneous information	-	-	-	-	0	-	-	0	0	R				
q Version (or date of version)	-	-	-	-	0	-	-	0	0	NR				
r Medium of performance (for music)	-	-	-	-	0	-	-	0	0	R				
s Numeric designation (for music)	-	-	-	-	0	-	-	0	0	R				
u Key (for music)	-	-	-	-	0	-	-	0	0	NR				
x Topical subdivision	-	-	-	-	0	-	-	0	0	R				
y Geographical subdivision	-	-	-	-	0	-	-	0	0	R				
w Arranged statement (for music)	-	-	-	-	0	-	-	0	0	NR				
z Chronological subdivision	-	-	-	-	0	-	-	0	0	R				
2 System code	-	-	-	-	0	-	-	0	0	NR	10 ^v			
3 Record number	-	-	-	-	0	-	-	0	0	NR	15 ^v			
5 Relationship control	-	-	-	-	0	-	-	0	0	NR	4 ^v			
8 Language of cataloguing	-	-	-	-	0	-	-	0	0	NR	3			
9 Language of the base access point	-	-	-	-	0	-	-	0	0	NR	3			
440 VARIANT ACCESS POINT – NAME/ TITLE	□□									R				
a Name	-	-	-	-	0	0	-	-	-	NR				
j Form subdivision	-	-	-	-	0	0	-	-	-	R				
t Title	-	-	-	-	0	0	-	-	-	NR				
x Topical subdivision	-	-	-	-	0	0	-	-	-	R				
y Geographical subdivision	-	-	-	-	0	0	-	-	-	R				
z Chronological subdivision	-	-	-	-	0	0	-	-	-	R				
2 System code	-	-	-	-	0	0	-	-	-	NR	10 ^v			
3 Record number	-	-	-	-	0	0	-	-	-	NR	15 ^v			
5 Relationship control	-	-	-	-	0	0	-	-	-	NR	4 ^v			
8 Language of cataloguing	-	-	-	-	0	0	-	-	-	NR	3			
9 Language of the base access point	-	-	-	-	0	0	-	-	-	NR	3			
443 VARIANT ACCESS POINT – CONVENTIONAL NAME/TITLE FOR LEGAL AND RELIGIOUS TEXTS	□									R				
a Entry element	-	-	-	-	-	-	0	-	-	NR				
j Form subdivision	-	-	-	-	-	-	0	-	-	R				
t Conventional title	-	-	-	-	-	-	0	-	-	NR				
x Topical subdivision	-	-	-	-	-	-	0	-	-	R				
y Geographical subdivision	-	-	-	-	-	-	0	-	-	R				
z Chronological subdivision	-	-	-	-	-	-	0	-	-	R				
2 System code	-	-	-	-	-	-	0	-	-	NR	10 ^v			
3 Record number	-	-	-	-	-	-	0	-	-	NR	15 ^v			
5 Relationship control	-	-	-	-	-	-	0	-	-	NR	4 ^v			
8 Language of cataloguing	-	-	-	-	-	-	0	-	-	NR	3			
9 Language of the base access point	-	-	-	-	-	-	0	-	-	NR	3			
450 VARIANT ACCESS POINT – TOPICAL SUBJECT	□□									R				
a Topical subject	0	0	0	-	0	-	-	0	0	NR				
j Form subdivision	0	0	0	-	0	-	-	0	0	R				
x Topical subdivision	0	0	0	-	0	-	-	0	0	R				
y Geographical subdivision	0	0	0	-	0	-	-	0	0	R				
z Chronological subdivision	0	0	0	-	0	-	-	0	0	R				
2 System code	0	0	0	-	0	-	-	0	0	NR	10 ^v			
3 Record number	0	0	0	-	0	-	-	0	0	NR	15 ^v			
5 Relationship control	0	0	0	-	0	-	-	0	0	NR	4 ^v			
8 Language of cataloguing	0	0	0	-	0	-	-	0	0	NR	3			
9 Language of the base access point	0	0	0	-	0	-	-	0	0	NR	3			

	Field/Subfield	Ind.	Sample							Rep.	Len.	Def.	
			PN	CB	GN	FN	UT	NT	ET				TN
480	VARIANT ACCESS POINT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□									R		
	a Entry element		-	-	-	-	-	-	0	0	NR		
	x Topical subdivision		-	-	-	-	-	-	0	0	R		
	y Geographical subdivision		-	-	-	-	-	-	0	0	R		
	z Chronological subdivision		-	-	-	-	-	-	0	0	R		
	2 System code		-	-	-	-	-	-	0	0	NR	10 ^v	
	3 Record number		-	-	-	-	-	-	0	0	NR	15 ^v	
	5 Relationship control		-	-	-	-	-	-	0	0	NR	4 ^v	
	8 Language of cataloguing		-	-	-	-	-	-	0	0	NR	3	
	9 Language of the base access point		-	-	-	-	-	-	0	0	NR	3	
500	RELATED ACCESS POINT – PERSONAL NAME	□1									R		
	a Entry element		0	0	0	0	0	0	0	0	NR		
	b Part of name (not entry element)		0	0	0	0	0	0	0	0	NR		
	c Additions other than dates		0	0	0	0	0	0	0	0	R		
	d Roman numerals		0	0	0	0	0	0	0	0	NR		
	f Dates		0	0	0	0	0	0	0	0	NR		
	3 Record number		0	0	0	0	0	0	0	0	NR	70 ^v	
	5 Relationship control		0	0	0	0	0	0	0	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	0	0	0	0	0	NR	3	
510	RELATED ACCESS POINT – CORPORATE BODY NAME										R		
	a Entry element		0	0	0	0	0	0	0	0	NR		
	b Subdivision		0	0	0	0	0	0	0	0	R		
	c Addition to name or qualifier		0	0	0	0	0	0	0	0	R		
	d Number of meeting		0	0	0	0	0	0	0	0	NR		
	e Location of meeting		0	0	0	0	0	0	0	0	R		
	f Date of meeting		0	0	0	0	0	0	0	0	NR	9 ^v	
	g Inverted element		0	0	0	0	0	0	0	0	NR		
	h Part of name (not entry or inverted element)		0	0	0	0	0	0	0	0	NR		
	3 Record number		0	0	0	0	0	0	0	0	NR	70 ^v	
	5 Relationship control		0	0	0	0	0	0	0	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	0	0	0	0	0	NR	3	
515	RELATED ACCESS POINT – TERRITORIAL OR GEOGRAPHICAL NAME	□□									R		
	a Entry element		0	0	0	0	0	0	0	0	NR		
	x Topical subdivision		0	0	0	0	0	0	0	0	R		
	z Chronological subdivision		0	0	0	0	0	0	0	0	R		
	3 Record number		0	0	0	0	0	0	0	0	NR	70 ^v	
	5 Relationship control		0	0	0	0	0	0	0	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	0	0	0	0	0	NR	3	
520	RELATED ACCESS POINT – FAMILY NAME	□□									R		
	a Entry element		0	0	0	0	0	0	0	0	NR		
	c Type of family		0	0	0	0	0	0	0	0	NR		
	f Dates		0	0	0	0	0	0	0	0	NR		
	3 Record number		0	0	0	0	0	0	0	0	NR	70 ^v	
	5 Relationship control		0	0	0	0	0	0	0	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	0	0	0	0	0	NR	3	

	Field/Subfield	Ind.	Sample										Rep.	Len.	Def.		
			PN	CB	GN	FN	UT	NT	ET	TN	FS						
530	RELATED ACCESS POINT – TITLE	□□													R		
	a Entry element		0	0	0	0	0	0	0	0	0	-	NR				
	h Number of section or part		0	0	0	0	0	0	0	0	0	-	R				
	i Name of section or part		0	0	0	0	0	0	0	0	0	-	R				
	k Date of publication		0	0	0	0	0	0	0	0	0	-	NR	20 ^v			
	l Form subheading		0	0	0	0	0	0	0	0	0	-	NR				
	m Language		0	0	0	0	0	0	0	0	0	-	NR				
	n Miscellaneous information		0	0	0	0	0	0	0	0	0	-	R				
	q Version (or date of version)		0	0	0	0	0	0	0	0	0	-	NR				
	r Medium of performance (for music)		0	0	0	0	0	0	0	0	0	-	R				
	s Numeric designation (for music)		0	0	0	0	0	0	0	0	0	-	R				
	u Key (for music)		0	0	0	0	0	0	0	0	0	-	NR				
	w Arranged statement (for music)		0	0	0	0	0	0	0	0	0	-	NR				
	3 Record number		0	0	0	0	0	0	0	0	0	-	NR	70 ^v			
	5 Relationship control		0	0	0	0	0	0	0	0	0	-	NR	4 ^v			
	9 Language of the base access point		0	0	0	0	0	0	0	0	0	-	NR	3			
540	RELATED ACCESS POINT – NAME/ TITLE	□□												R			
	a Name		0	0	0	0	0	0	0	0	0	-	NR				
	t Title		0	0	0	0	0	0	0	0	0	-	NR				
	3 Record number		0	0	0	0	0	0	0	0	0	-	NR	70 ^v			
	5 Relationship control		0	0	0	0	0	0	0	0	0	-	NR	4 ^v			
	9 Language of the base access point		0	0	0	0	0	0	0	0	0	-	NR	3			
543	RELATED ACCESS POINT – CONVENTIONAL NAME/TITLE FOR LEGAL AND RELIGIOUS TEXTS	□												R			
	a Entry element		0	0	0	0	0	0	0	0	0	-	NR				
	b Subdivision		0	0	0	0	0	0	-	0	-	R					
	c Addition to name or qualifier		0	0	0	0	0	0	-	0	-	R					
	f Date of legal issue or version		0	0	0	0	0	0	-	0	-	NR					
	i Name of section or part		0	0	0	0	0	0	-	0	-	R					
	l Form subheading		0	0	0	0	0	0	-	0	-	NR					
	n Miscellaneous information		0	0	0	0	0	0	-	0	-	NR					
	t Conventional title		0	0	0	0	0	0	0	0	0	-	NR				
	3 Record number		0	0	0	0	0	0	0	0	0	-	NR	70 ^v			
	5 Relationship control		0	0	0	0	0	0	0	0	0	-	NR	4 ^v			
	9 Language of the base access point		0	0	0	0	0	0	0	0	0	-	NR	3			
550	RELATED ACCESS POINT – TOPICAL SUBJECT	□□												R			
	a Topical subject		0	0	0	0	0	0	0	0	0	0	NR				
	x Topical subdivision		0	0	0	0	0	0	0	0	0	0	R				
	y Geographical subdivision		0	0	0	0	0	0	0	0	0	0	R				
	z Chronological subdivision		0	0	0	0	0	0	0	0	0	0	R				
	3 Record number		0	0	0	0	0	0	0	0	0	0	NR	70 ^v			
	5 Relationship control		0	0	0	0	0	0	0	0	0	0	NR	4 ^v			
	9 Language of the base access point		0	0	0	0	0	0	0	0	0	0	NR	3			
580	RELATED ACCESS POINT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□												R			
	a Entry element		0	0	-	0	0	-	-	0	0	NR					
	x Topical subdivision		0	0	-	0	0	-	-	0	0	R					
	y Geographical subdivision		0	0	-	0	0	-	-	0	0	R					
	z Chronological subdivision		0	0	-	0	0	-	-	0	0	R					

Field/Subfield	Ind.	Sample										Rep.	Len.	Def.
		PN	CB	GN	FN	UT	NT	ET	TN	FS				
3 Record number		0	0	-	0	0	-	-	0	0	NR	70 ^v		
5 Relationship control		0	0	-	0	0	-	-	0	0	NR	4 ^v		
9 Language of the base access point		0	0	-	0	0	-	-	0	0	NR	3		
675 UNIVERSAL DECIMAL CLASSIFICATION (UDC)	□□										R			
a Number		1	1	1	1	1	1	1	1	1	NR			
v Edition		0	0	0	0	0	0	0	0	0	NR			
686 OTHER CLASSIFICATION NUMBERS	□□										R			
a Number		0	0	-	-	-	-	-	-	-	NR	70 ^v		
2 System code		0	0	-	-	-	-	-	-	-	NR	20 ^v		
700 AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – PERSONAL NAME	□1										NR			
a Entry element		0	-	-	-	-	-	-	-	-	NR			
b Part of name (not entry element)		0	-	-	-	-	-	-	-	-	NR			
c Additions other than dates		0	-	-	-	-	-	-	-	-	R			
d Roman numerals		0	-	-	-	-	-	-	-	-	NR			
f Dates		0	-	-	-	-	-	-	-	-	NR			
2 System code		0	-	-	-	-	-	-	-	-	NR	10 ^v	sgce	
2 System code		0	-	-	-	-	-	-	-	-	NR	10 ^v	sgce	
8 Language of cataloguing		0	-	-	-	-	-	-	-	-	NR	3	eng	
8 Language of cataloguing		0	-	-	-	-	-	-	-	-	NR	3	eng	
9 Language of the base access point		0	-	-	-	-	-	-	-	-	NR	3		
710 AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – CORPORATE BODY NAME											NR			
a Entry element		-	0	-	-	-	-	-	-	-	NR			
b Subdivision		-	0	-	-	-	-	-	-	-	R			
c Addition to name or qualifier		-	0	-	-	-	-	-	-	-	R			
d Number of meeting		-	0	-	-	-	-	-	-	-	NR			
e Location of meeting		-	0	-	-	-	-	-	-	-	R			
f Date of meeting		-	0	-	-	-	-	-	-	-	NR			
g Inverted element		-	0	-	-	-	-	-	-	-	NR			
h Part of name (not entry or inverted element)		-	0	-	-	-	-	-	-	-	NR			
2 System code		-	0	-	-	-	-	-	-	-	NR	10 ^v	sgce	
8 Language of cataloguing		-	0	-	-	-	-	-	-	-	NR	3	eng	
9 Language of the base access point		-	0	-	-	-	-	-	-	-	NR	3		
715 AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – TERRITORIAL OR GEOGRAPHICAL NAME	□1										NR			
a Entry element		-	-	1	-	-	-	-	-	-	NR			
2 System code		-	-	1	-	-	-	-	-	-	NR	10 ^v	sgce	
8 Language of cataloguing		-	-	1	-	-	-	-	-	-	NR	3 ^v	eng	
9 Language of the base access point		-	-	0	-	-	-	-	-	-	NR	3		
720 AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – FAMILY NAME	□1										NR			
a Entry element		-	-	-	1	-	-	-	-	-	NR			
c Type of family		-	-	-	0	-	-	-	-	-	NR			
f Dates		-	-	-	0	-	-	-	-	-	NR			

	Field/Subfield	Ind.	Sample										Rep.	Len.	Def.
			PN	CB	GN	FN	UT	NT	ET	TN	FS				
	2 System code	-	-	-	1	-	-	-	-	-	-	NR	10 ^v	sgce	
	8 Language of cataloguing	-	-	-	1	-	-	-	-	-	-	NR	3	eng	
	9 Language of the base access point	-	-	-	0	-	-	-	-	-	-	NR	3		
730	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – TITLE	□1										NR			
	a Entry element	-	-	-	-	0	-	-	-	-	-	NR			
	h Number of section or part	-	-	-	-	0	-	-	-	-	-	R			
	i Name of section or part	-	-	-	-	0	-	-	-	-	-	R			
	k Date of publication	-	-	-	-	0	-	-	-	-	-	NR	20 ^v		
	l Form subheading	-	-	-	-	0	-	-	-	-	-	NR			
	m Language	-	-	-	-	0	-	-	-	-	-	NR			
	n Miscellaneous information	-	-	-	-	0	-	-	-	-	-	NR			
	q Version (or date of version)	-	-	-	-	0	-	-	-	-	-	NR			
	r Medium of performance (for music)	-	-	-	-	0	-	-	-	-	-	R			
	s Numeric designation (for music)	-	-	-	-	0	-	-	-	-	-	R			
	u Key (for music)	-	-	-	-	0	-	-	-	-	-	NR			
	w Arranged statement (for music)	-	-	-	-	0	-	-	-	-	-	NR			
	2 System code	-	-	-	-	0	-	-	-	-	-	NR	10 ^v	sgce	
	8 Language of cataloguing	-	-	-	-	0	-	-	-	-	-	NR	3	eng	
	9 Language of the base access point	-	-	-	-	0	-	-	-	-	-	NR	3		
740	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – NAME/TITLE	□1										NR			
	a Name	-	-	-	-	-	0	-	-	-	-	NR			
	t Title	-	-	-	-	-	0	-	-	-	-	NR			
	2 System code	-	-	-	-	-	0	-	-	-	-	NR	10 ^v	sgce	
	8 Language of cataloguing	-	-	-	-	-	0	-	-	-	-	NR	3	eng	
	9 Language of the base access point	-	-	-	-	-	0	-	-	-	-	NR	3		
743	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – CONVENTIONAL NAME/TITLE FOR LEGAL AND RELIGIOUS TEXTS	□										NR			
	a Entry element	-	-	-	-	-	-	0	-	-	-	NR			
	t Conventional title	-	-	-	-	-	-	0	-	-	-	NR			
	2 System code	-	-	-	-	-	-	0	-	-	-	NR	10 ^v	sgce	
	8 Language of cataloguing	-	-	-	-	-	-	0	-	-	-	NR	3	eng	
	9 Language of the base access point	-	-	-	-	-	-	0	-	-	-	NR	3		
750	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – TOPICAL SUBJECT	□□										NR			
	a Topical subject	-	-	-	-	-	-	-	1	-	-	NR			
	2 System code	-	-	-	-	-	-	-	1	-	-	NR	10 ^v	sgce	
	8 Language of cataloguing	-	-	-	-	-	-	-	1	-	-	NR	3	eng	
	9 Language of the base access point	-	-	-	-	-	-	-	0	-	-	NR	3		
780	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□										NR			
	a Entry element	-	-	-	-	-	-	-	-	1	-	NR			
	2 System code	-	-	-	-	-	-	-	-	1	-	NR	10 ^v		
	8 Language of cataloguing	-	-	-	-	-	-	-	-	1	-	NR	3		
	9 Language of the base access point	-	-	-	-	-	-	-	-	0	-	NR	3		

Field/Subfield	Ind.	Sample										Rep.	Len.	Def.	
		PN	CB	GN	FN	UT	NT	ET	TN	FS					
801 ORIGINATING SOURCE	□3												R		
a Country		0	0	0	0	0	-	-	0	0			NR	3 ^v	
b Agency		0	0	0	0	0	-	-	0	0			NR		
c Date of latest transaction		0	0	0	0	0	-	-	0	0			NR	8 ^v	
810 SOURCE DATA FOUND	□□												R		
a Citation		0	0	0	0	0	0	0	0	0			NR		
b Information found		0	0	0	0	0	0	0	0	0			NR		
815 SOURCE DATA NOT FOUND	□□												NR		
a Citation		0	0	0	0	0	0	0	0	0			R		
820 USAGE OR SCOPE INFORMATION	□□												R		
a Note text		0	0	0	0	0	0	0	0	0			R		
830 GENERAL CATALOGUER'S NOTE	□□												R		
a Note text		0	0	0	0	0	0	0	0	0			R		
835 DELETED ACCESS POINT INFORMATION	□□												R		
a Note text		0	0	0	0	0	0	0	0	0			R		
b Replacement access point		0	0	0	0	0	0	0	0	0			R		
d Date of the transaction		0	0	0	0	0	0	0	0	0			NR	8 ^v	
836 REPLACED ACCESS POINT INFORMATION	□□												R		
b Replaced access point		0	0	0	0	0	0	0	0	0			NR		
d Date of the transaction		0	0	0	0	0	0	0	0	0			NR	8 ^v	
856 ELECTRONIC LOCATION AND ACCESS	4□												R		
a Host name		0	0	0	0	0	0	0	0	0			R		
b Access number		0	0	0	0	0	0	0	0	0			R		
c Compression information		0	0	0	0	0	0	0	0	0			R		
d Path		0	0	0	0	0	0	0	0	0			R		
e Date and hour of consultation and access		0	0	0	0	0	0	0	0	0			NR	12 ^v	
f Electronic name		0	0	0	0	0	0	0	0	0			R		
g Uniform Resource Name		0	0	0	0	0	0	0	0	0			R		
h Processor of request		0	0	0	0	0	0	0	0	0			NR		
i Instruction		0	0	0	0	0	0	0	0	0			R		
j Bits per second		0	0	0	0	0	0	0	0	0			NR		
k Password		0	0	0	0	0	0	0	0	0			NR		
l Logon/login		0	0	0	0	0	0	0	0	0			NR		
m Contact for access assistance		0	0	0	0	0	0	0	0	0			R		
n Name of location of host in subfield a		0	0	0	0	0	0	0	0	0			NR		
o Operating system		0	0	0	0	0	0	0	0	0			NR		
p Port		0	0	0	0	0	0	0	0	0			NR		
q Electronic format type		0	0	0	0	0	0	0	0	0			NR		
r Settings		0	0	0	0	0	0	0	0	0			NR		
s File size		0	0	0	0	0	0	0	0	0			R		
t Terminal emulation		0	0	0	0	0	0	0	0	0			R		
u Uniform Resource Locator		0	0	0	0	0	0	0	0	0			NR		
v Hours access method available		0	0	0	0	0	0	0	0	0			R		
x Nonpublic note		0	0	0	0	0	0	0	0	0			R		
y Access method		0	0	0	0	0	0	0	0	0			NR		
w Record control number		0	0	0	0	0	0	0	0	0			R		
z Public note		0	0	0	0	0	0	0	0	0			R		

	Field/Subfield	Ind.	Sample							Rep.	Len.	Def.	
			PN	CB	GN	FN	UT	NT	ET				TN
950	UNLINKED RELATED ACCESS POINT*	□□									R		
	a Access point		0	0	0	0	0	0	0	0	NR		
	2 System code		0	0	0	0	0	0	0	0	NR	10 ^v	
	3 Record number		0	0	0	0	0	0	0	0	NR	15 ^v	
	5 Relationship control		0	0	0	0	0	0	0	0	NR	4 ^v	
991	EDITOR'S NOTES*	□□									R		
	a Note		0	0	0	0	0	0	0	0	NR		
	b Note author		0	0	0	0	0	0	0	0	NR	30 ^v	
	c Note date		0	0	0	0	0	0	0	0	NR	8 ^v	
992	FIELD FOR LOCAL NEEDS*	□□									NR		
	b Record marks		0	0	0	0	0	0	0	0	NR		

A.2.2 REFERENCE AND GENERAL EXPLANATORY RECORDS (SGC)

Legend:

Ind.	:	Indicators (default values)
□	:	Blank, no indicator
CBR	:	Corporate bodies (reference records)
GNR	:	Geographical names (reference records)
TNR	:	Topical subjects (reference records)
FSR	:	Forms, genres or physical characteristics (reference records)
GER	:	General explanatory records
-	:	Subfield is not present.
0	:	Subfield is in a sample.
1	:	Subfield is mandatory.
Rep.	:	Repeatability
R	:	Subfield is repeatable.
NR	:	Subfield is not repeatable.
Len.	:	Length
v	:	It is possible to enter less than prescribed number of characters.
Def.	:	Default value

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
000	SYSTEM FIELD	□□						NR		
001	RECORD LABEL	□□						NR		
	a Record status		1	1	1	1	1	NR	1	n
	b Type of record		1	1	1	1	1	NR	1	y ⁴
	c Type of entity		1	1	1	1	1	NR	1	b ⁵
	g Encoding level		0	0	0	0	0	NR	1	

⁴ The default value of the record type is different in individual input masks. In masks CBR, GNR, TNR and FSR the default value is "y" and in mask GER the value is "z".

⁵ In mask CBR the default value is "b", in mask GNR the value is "c", in mask TNR the value is "j", in mask FSR the value is "l". The default value is not specified in mask GER.

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
	x Replacement record ID*		0	0	0	0	0	NR	200 ^v	
035	CONTROL NUMBERS OF RECORDS IN OTHER SYSTEMS	□□						R		
	a System control number		0	0	0	0	-	NR		
	z Cancelled or invalid control number		0	0	0	0	-	R		
100	GENERAL PROCESSING DATA	□□						NR		
	b Status of authorized access point code		1	1	1	1	1	NR	1	x
	c Language of cataloguing		1	1	1	1	1	NR	3	slv
	d Transliteration code		-	-	-	-	-	NR	1	
	g Script of cataloguing		1	1	1	1	1	NR	2	ba
152	RULES	□□						NR		
	a Cataloguing rules		0	0	-	-	0	NR	10 ^v	
	b Subject system		0	0	0	0	0	NR	3	sgc ⁶
160	GEOGRAPHIC AREA CODE	□□						NR		
	a Geographic area code		-	1	0	0	-	R	7	
	b Local geographic area code*		-	0	0	0	-	R	7	
180	CODED DATA FOR FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□						NR		
	a Form or genre or physical characteristics code		-	-	-	1	-	NR	1	
192	SUBTYPE OF ENTITY*	□□						NR		
	a Subtype of entity		-	0	0	-	-	NR	2	
200	AUTHORIZED ACCESS POINT – PERSONAL NAME	□						NR		
	a Entry element		-	-	-	-	0	NR		
	9 Language of the base access point		-	-	-	-	0	NR	3	
210	AUTHORIZED ACCESS POINT – CORPORATE BODY NAME							NR		
	a Entry element		1	-	-	-	0	NR		
	b Subdivision		0	-	-	-	-	R		
	c Addition to name or qualifier		0	-	-	-	-	R		
	d Number of meeting		0	-	-	-	-	NR		
	e Location of meeting		0	-	-	-	-	R		
	f Date of meeting		0	-	-	-	-	NR	9 ^v	
	g Inverted element		0	-	-	-	-	NR		
	h Part of name (not entry or inverted element)		0	-	-	-	-	NR		
	x Topical subdivision		0	-	-	-	-	R		
	z Chronological subdivision		0	-	-	-	-	R		
	9 Language of the base access point		0	-	-	-	0	NR	3	
215	AUTHORIZED ACCESS POINT – TERRITORIAL OR GEOGRAPHICAL NAME	□□						NR		
	a Entry element		-	1	-	-	0	NR		
	x Topical subdivision		-	0	-	-	-	R		
	z Chronological subdivision		-	0	-	-	-	R		
	9 Language of the base access point		-	0	-	-	0	NR	3	

⁶ The default value of the subject system is different in individual COBISS systems; in the COBISS.SI system, the default value in input mask TNR is "sgc".

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
220	AUTHORIZED ACCESS POINT – FAMILY NAME	□□							NR	
	a Entry element		-	-	-	-	0		NR	
	9 Language of the base access point		-	-	-	-	0		NR	3
230	AUTHORIZED ACCESS POINT – TITLE	□□							NR	
	a Entry element		-	-	-	-	0		NR	
	9 Language of the base access point		-	-	-	-	0		NR	3
250	AUTHORIZED ACCESS POINT – TOPICAL SUBJECT	□□							NR	
	a Topical subject		-	-	1	-	0		NR	
	n Subject category code		-	-	0	-	-		NR	1
	m Subject subcategory code		-	-	0	-	-		NR	2
	x Topical subdivision		-	-	0	-	-		R	
	y Geographical subdivision		-	-	0	-	-		R	
	z Chronological subdivision		-	-	0	-	-		R	
	9 Language of the base access point		-	-	0	-	0		NR	3
280	AUTHORIZED ACCESS POINT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□							NR	
	a Entry element		-	-	-	1	-		NR	
	x Topical subdivision		-	-	-	0	-		R	
	y Geographical subdivision		-	-	-	0	-		R	
	z Chronological subdivision		-	-	-	0	-		R	
	9 Language of the base access point		-	-	-	0	-		NR	3
300	INFORMATION NOTE	1□							R	
	a Note text		0	0	0	0	0		NR	
310	TEXTUAL SEE REFERENCE NOTE	1□							R	
	a Instruction phrase		1	1	1	1	-		R	
	b Access point referred to		1	1	1	1	-		R	
320	GENERAL EXPLANATORY REFERENCE NOTE	□□							R	
	a Note text		-	-	-	-	1		NR	
356	GEOGRAPHICAL NOTE	□□							R	
	a Note text		-	0	-	-	-		NR	
400	VARIANT ACCESS POINT – PERSONAL NAME	□							R	
	a Entry element		-	-	0	-	0		NR	
	b Part of name (not entry element)		-	-	0	-	0		NR	
	c Additions other than dates		-	-	0	-	0		R	
	d Roman numerals		-	-	0	-	0		NR	
	f Dates		-	-	0	-	0		NR	
	g Expansion of initials of forename		-	-	0	-	0		NR	
	j Form subdivision		-	-	0	-	0		R	
	x Topical subdivision		-	-	0	-	0		R	
	y Geographical subdivision		-	-	0	-	0		R	
	z Chronological subdivision		-	-	0	-	0		R	
	2 System code		-	-	0	-	0		NR	10 ^v
	3 Record number		-	-	0	-	0		NR	15 ^v
	5 Relationship control		-	-	0	-	0		NR	4 ^v

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
	8 Language of cataloguing	-	-	0	-	0	NR	3		
	9 Language of the base access point	-	-	0	-	0	NR	3		
410	VARIANT ACCESS POINT – CORPORATE BODY NAME						R			
	a Entry element	0	-	0	-	0	NR			
	b Subdivision	0	-	0	-	0	R			
	c Addition to name or qualifier	0	-	0	-	0	R			
	d Number of meeting	0	-	0	-	0	NR			
	e Location of meeting	0	-	0	-	0	R			
	f Date of meeting	0	-	0	-	0	NR	9 ^v		
	g Inverted element	0	-	0	-	0	NR			
	h Part of name (not entry or inverted element)	0	-	0	-	0	NR			
	j Form subdivision	0	-	0	-	0	R			
	x Topical subdivision	0	-	0	-	0	R			
	z Chronological subdivision	0	-	-	-	-	R			
	2 System code	0	-	0	-	0	NR	10 ^v		
	3 Record number	0	-	0	-	0	NR	15 ^v		
	5 Relationship control	0	-	0	-	0	NR	4 ^v		
	8 Language of cataloguing	0	-	0	-	0	NR	3		
	9 Language of the base access point	0	-	0	-	0	NR	3		
415	VARIANT ACCESS POINT – TERRITORIAL OR GEOGRAPHICAL NAME	□□					R			
	a Entry element	0	0	0	0	0	NR			
	j Form subdivision	0	0	0	0	0	R			
	x Topical subdivision	0	0	0	0	0	R			
	y Geographical subdivision	0	0	0	0	0	R			
	z Chronological subdivision	0	0	0	0	0	R			
	2 System code	0	0	0	0	0	NR	10 ^v		
	3 Record number	0	0	0	0	0	NR	15 ^v		
	5 Relationship control	0	0	0	0	0	NR	4 ^v		
	8 Language of cataloguing	0	0	0	0	0	NR	3		
	9 Language of the base access point	0	0	0	0	0	NR	3		
420	VARIANT ACCESS POINT – FAMILY NAME	□□					R			
	a Entry element	-	-	-	-	0	NR			
	c Type of family	-	-	-	-	0	NR			
	2 System code	-	-	-	-	0	NR	10 ^v		
	3 Record number	-	-	-	-	0	NR	15 ^v		
	5 Relationship control	-	-	-	-	0	NR	4 ^v		
	8 Language of cataloguing	-	-	-	-	0	NR	3		
	9 Language of the base access point	-	-	-	-	0	NR	3		
430	VARIANT ACCESS POINT – TITLE	□□					R			
	a Entry element	-	-	0	-	0	NR			
	h Number of section or part	-	-	0	-	0	R			
	i Name of section or part	-	-	0	-	0	R			
	j Form subdivision	-	-	0	-	0	R			
	k Date of publication	-	-	0	-	0	NR	20 ^v		
	l Form subheading	-	-	0	-	0	NR			
	m Language	-	-	0	-	0	NR			
	n Miscellaneous information	-	-	0	-	0	R			
	q Version (or date of version)	-	-	0	-	0	NR			

Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
		CBR	GNR	TNR	FSR	GER			
r Medium of performance (for music)		-	-	0	-	0	R		
s Numeric designation (for music)		-	-	0	-	0	R		
u Key (for music)		-	-	0	-	0	NR		
x Topical subdivision		-	-	0	-	0	R		
y Geographical subdivision		-	-	0	-	0	R		
w Arranged statement (for music)		-	-	0	-	0	NR		
z Chronological subdivision		-	-	0	-	0	R		
2 System code		-	-	0	-	0	NR	10 ^v	
3 Record number		-	-	0	-	0	NR	15 ^v	
5 Relationship control		-	-	0	-	0	NR	4 ^v	
8 Language of cataloguing		-	-	0	-	0	NR	3	
9 Language of the base access point		-	-	0	-	0	NR	3	
440 VARIANT ACCESS POINT – NAME/TITLE	□□						R		
a Name		-	-	-	-	0	NR		
j Form subdivision		-	-	-	-	0	R		
t Title		-	-	-	-	0	NR		
x Topical subdivision		-	-	-	-	0	R		
y Geographical subdivision		-	-	-	-	0	R		
z Chronological subdivision		-	-	-	-	0	R		
2 System code		-	-	-	-	0	NR	10 ^v	
3 Record number		-	-	-	-	0	NR	15 ^v	
5 Relationship control		-	-	-	-	0	NR	4 ^v	
8 Language of cataloguing		-	-	-	-	0	NR	3	
9 Language of the base access point		-	-	-	-	0	NR	3	
443 VARIANT ACCESS POINT – CONVENTIONAL NAME/TITLE FOR LEGAL AND RELIGIOUS TEXTS	□						R		
a Entry element		-	-	-	-	0	NR		
j Form subdivision		-	-	-	-	0	R		
t Conventional title		-	-	-	-	0	NR		
x Topical subdivision		-	-	-	-	0	R		
y Geographical subdivision		-	-	-	-	0	R		
z Chronological subdivision		-	-	-	-	0	R		
2 System code		-	-	-	-	0	NR	10 ^v	
3 Record number		-	-	-	-	0	NR	15 ^v	
5 Relationship control		-	-	-	-	0	NR	4 ^v	
8 Language of cataloguing		-	-	-	-	0	NR	3	
9 Language of the base access point		-	-	-	-	0	NR	3	
450 VARIANT ACCESS POINT – TOPICAL SUBJECT	□□						R		
a Topical subject		0	0	0	0	0	NR		
j Form subdivision		0	0	0	0	0	R		
x Topical subdivision		0	0	0	0	0	R		
y Geographical subdivision		0	0	0	0	0	R		
z Chronological subdivision		0	0	0	0	0	R		
2 System code		0	0	0	0	0	NR	10 ^v	
3 Record number		0	0	0	0	0	NR	15 ^v	
5 Relationship control		0	0	0	0	0	NR	4 ^v	
8 Language of cataloguing		0	0	0	0	0	NR	3	
9 Language of the base access point		0	0	0	0	0	NR	3	

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
480	VARIANT ACCESS POINT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□						R		
	a Entry element		-	-	-	0	0	NR		
	x Topical subdivision		-	-	-	0	0	R		
	y Geographical subdivision		-	-	-	0	0	R		
	z Chronological subdivision		-	-	-	0	0	R		
	2 System code		-	-	-	0	0	NR	10 ^v	
	3 Record number		-	-	-	0	0	NR	15 ^v	
	5 Relationship control		-	-	-	0	0	NR	4 ^v	
	8 Language of cataloguing		-	-	-	0	0	NR	3	
	9 Language of the base access point		-	-	-	0	0	NR	3	
500	RELATED ACCESS POINT – PERSONAL NAME	□						R		
	a Entry element		0	0	0	-	0	NR		
	b Part of name (not entry element)		0	0	0	-	0	NR		
	c Additions other than dates		0	0	0	-	0	R		
	d Roman numerals		0	0	0	-	0	NR		
	f Dates		0	0	0	-	0	NR		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	
510	RELATED ACCESS POINT – CORPORATE BODY NAME							R		
	a Entry element		0	0	0	-	0	NR		
	b Subdivision		0	0	0	-	0	R		
	c Addition to name or qualifier		0	0	0	-	0	R		
	d Number of meeting		0	0	0	-	0	NR		
	e Location of meeting		0	0	0	-	0	R		
	f Date of meeting		0	0	0	-	0	NR	9 ^v	
	g Inverted element		0	0	0	-	0	NR		
	h Part of name (not entry or inverted element)		0	0	0	-	0	NR		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	
515	RELATED ACCESS POINT – TERRITORIAL OR GEOGRAPHICAL NAME	□□						R		
	a Entry element		0	0	0	-	0	NR		
	x Topical subdivision		0	0	0	-	0	R		
	z Chronological subdivision		0	0	0	-	0	R		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	
520	RELATED ACCESS POINT – FAMILY NAME	□□						R		
	a Entry element		0	0	0	-	0	NR		
	c Type of family		0	0	0	-	0	NR		
	f Dates		0	0	0	-	0	NR		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
530	RELATED ACCESS POINT – TITLE	□□						R		
	a Entry element		0	0	0	-	0	NR		
	h Number of section or part		0	0	0	-	0	R		
	i Name of section or part		0	0	0	-	0	R		
	k Date of publication		0	0	0	-	0	NR	20 ^v	
	l Form subheading		0	0	0	-	0	NR		
	m Language		0	0	0	-	0	NR		
	n Miscellaneous information		0	0	0	-	0	R		
	q Version (or date of version)		0	0	0	-	0	NR		
	r Medium of performance (for music)		0	0	0	-	0	R		
	s Numeric designation (for music)		0	0	0	-	0	R		
	u Key (for music)		0	0	0	-	0	NR		
	w Arranged statement (for music)		0	0	0	-	0	NR		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	
540	RELATED ACCESS POINT – NAME/TITLE	□□						R		
	a Name		0	0	0	-	0	NR		
	t Title		0	0	0	-	0	NR		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	
543	RELATED ACCESS POINT – CONVENTIONAL NAME/TITLE FOR LEGAL AND RELIGIOUS TEXTS	□						R		
	a Entry element		0	0	0	-	0	NR		
	b Subdivision		0	0	0	-	-	R		
	c Addition to name or qualifier		0	0	0	-	-	R		
	f Date of legal issue or version		0	0	0	-	-	NR		
	i Name of section or part		0	0	0	-	-	R		
	l Form subheading		0	0	0	-	-	NR		
	n Miscellaneous information		0	0	0	-	-	NR		
	t Conventional title		0	0	0	-	0	NR		
	3 Record number		0	0	0	-	0	NR	70 ^v	
	5 Relationship control		0	0	0	-	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	-	0	NR	3	
550	RELATED ACCESS POINT – TOPICAL SUBJECT	□□						R		
	a Topical subject		0	0	0	0	0	NR		
	x Topical subdivision		0	0	0	0	0	R		
	y Geographical subdivision		0	0	0	0	0	R		
	z Chronological subdivision		0	0	0	0	0	R		
	3 Record number		0	0	0	0	0	NR	70 ^v	
	5 Relationship control		0	0	0	0	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	0	0	NR	3	
580	RELATED ACCESS POINT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□						R		
	a Entry element		0	0	0	0	0	NR		
	x Topical subdivision		0	0	0	0	0	R		
	y Geographical subdivision		0	0	0	0	0	R		

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
	z Chronological subdivision		0	0	0	0	0	R		
	3 Record number		0	0	0	0	0	NR	70 ^v	
	5 Relationship control		0	0	0	0	0	NR	4 ^v	
	9 Language of the base access point		0	0	0	0	0	NR	3	
675	UNIVERSAL DECIMAL CLASSIFICATION (UDC)	□□						R		
	a Number		1	1	1	1	0	NR		
	v Edition		0	0	0	0	0	NR		
710	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – CORPORATE BODY NAME							NR		
	a Entry element		1	-	-	-	-	NR		
	b Subdivision		0	-	-	-	-	R		
	c Addition to name or qualifier		0	-	-	-	-	R		
	d Number of meeting		0	-	-	-	-	NR		
	e Location of meeting		0	-	-	-	-	R		
	f Date of meeting		0	-	-	-	-	NR		
	g Inverted element		0	-	-	-	-	NR		
	h Part of name (not entry or inverted element)		0	-	-	-	-	NR		
	x Topical subdivision		0	-	-	-	-	R		
	z Chronological subdivision		0	-	-	-	-	R		
	2 System code		1	-	-	-	-	NR	10 ^v	sgce
	8 Language of cataloguing		1	-	-	-	-	NR	3	eng
	9 Language of the base access point		0	-	-	-	-	NR	3	
715	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – TERRITORIAL OR GEOGRAPHICAL NAME	□□						NR		
	a Entry element		-	1	-	-	-	NR		
	x Topical subdivision		-	0	-	-	-	R		
	z Chronological subdivision		-	0	-	-	-	R		
	2 System code		-	1	-	-	-	NR	10 ^v	sgce
	8 Language of cataloguing		-	1	-	-	-	NR	3 ^v	eng
	9 Language of the base access point		-	0	-	-	-	NR	3	
750	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – TOPICAL SUBJECT	□□						NR		
	a Topical subject		-	-	1	-	-	NR		
	x Topical subdivision		-	-	0	-	-	R		
	y Geographical subdivision		-	-	0	-	-	R		
	z Chronological subdivision		-	-	0	-	-	R		
	2 System code		-	-	1	-	-	NR	10 ^v	sgce
	8 Language of cataloguing		-	-	1	-	-	NR	3	eng
	9 Language of the base access point		-	-	0	-	-	NR	3	
780	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – FORM, GENRE OR PHYSICAL CHARACTERISTICS	□□						NR		
	a Entry element		-	-	-	1	-	NR		
	x Topical subdivision		-	-	-	0	-	R		
	y Geographical subdivision		-	-	-	0	-	R		

	Field/Subfield	Ind.	Sample					Rep.	Len.	Def.
			CBR	GNR	TNR	FSR	GER			
	z Chronological subdivision	-	-	-	0	-	R			
	2 System code	-	-	-	1	-	NR	10 ^v		
	8 Language of cataloguing	-	-	-	1	-	NR	3		
	9 Language of the base access point	-	-	-	0	-	NR	3		
830	GENERAL CATALOGUER'S NOTE	□□					R			
	a Note text		0	0	0	0	0	R		
856	ELECTRONIC LOCATION AND ACCESS	4□					R			
	a Host name		0	0	0	0	-	R		
	b Access number		0	0	0	0	-	R		
	c Compression information		0	0	0	0	-	R		
	d Path		0	0	0	0	-	R		
	e Date and hour of consultation and access		0	0	0	0	-	NR	12 ^v	
	f Electronic name		0	0	0	0	-	R		
	g Uniform Resource Name		0	0	0	0	-	R		
	h Processor of request		0	0	0	0	-	NR		
	i Instruction		0	0	0	0	-	R		
	j Bits per second		0	0	0	0	-	NR		
	k Password		0	0	0	0	-	NR		
	l Logon/login		0	0	0	0	-	NR		
	m Contact for access assistance		0	0	0	0	-	R		
	n Name of location of host in subfield a		0	0	0	0	-	NR		
	o Operating system		0	0	0	0	-	NR		
	p Port		0	0	0	0	-	NR		
	q Electronic format type		0	0	0	0	-	NR		
	r Settings		0	0	0	0	-	NR		
	s File size		0	0	0	0	-	R		
	t Terminal emulation		0	0	0	0	-	R		
	u Uniform Resource Locator		0	0	0	0	-	NR		
	v Hours access method available		0	0	0	0	-	R		
	x Nonpublic note		0	0	0	0	-	R		
	y Access method		0	0	0	0	-	NR		
	w Record control number		0	0	0	0	-	R		
	z Public note		0	0	0	0	-	R		
950	UNLINKED RELATED ACCESS POINT*	□□					R			
	a Access point		0	0	0	0	0	NR		
	2 System code		0	0	0	0	0	NR	10 ^v	
	3 Record number		0	0	0	0	0	NR	15 ^v	
	5 Relationship control		0	0	0	0	0	NR	4 ^v	
991	EDITOR'S NOTES*	□□					R			
	a Note		0	0	0	0	0	NR		
	b Note author		0	0	0	0	0	NR	30 ^v	
	c Note date		0	0	0	0	0	NR	8 ^v	
992	FIELD FOR LOCAL NEEDS*	□□					NR			
	b Record marks		0	0	0	0	0	NR		